


1 LOCATION OF WATER WELL: County: **CHAUTAUQUA** Fraction: **NW 1/4 SW 1/4 SW 1/4** Section Number: **6** Township Number: **T 32 S** Range Number: **R 12 E**
 Distance and direction from nearest town or city street address of well if located within city? **1/2 MILE SOUTH 1 MILE EAST 4 MILES SOUTH 1 1/2 MILE EAST 3/4 MILE SOUTH ELK FALLS**

2 WATER WELL OWNER: **RICHARD LEKAN**
 RR#, St. Address, Box #: **9117 MILLSAP DR**
 City, State, ZIP Code: **WICHITA, KANSAS**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **222** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. **127** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL **N/A** ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield **N/A** gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter **9** in. to ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter **6** in. to **162** ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface **18** in., weight **160** lbs./ft. Wall thickness or gauge No. **Schedule 40**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **162** ft. to **222** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From **0** ft. to **20** ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
POND
 13 Insecticide storage
 Direction from well? **Southwest** How many feet? **350**

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|----------------|----------------|------|----|--------------------|
| 0 | 2 | Top Soil | | | |
| 2 | 14 | SAND STONE | | | |
| 14 | 16 | SAND SHALE | | | |
| 16 | 28 | SANDY SHALE | | | |
| 28 | 50 | SHALE | | | |
| 50 | 80 | LIME | | | |
| 80 | 86 | BLACK SHALE | | | |
| 86 | 127 | SHALE | | | |
| 127 | 134 | SAND | | | |
| 127 | 150 | LIME | | | |
| 150 | 185 | SHALE | | | |
| 185 | 200 | SAND | | | |
| 200 | 222 | SHALE | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **12/16/88** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **464** This Water Well Record was completed on (mo/day/yr) **12-29-88** under the business name of **WATER WELL SERVICES, CONSOLIDATED** by (signature) *Richard Lekan*

OFFICE USE ONLY T R E W SEC. 1/4 1/4 1/4