			WA	TER WELL RECORD	Form WW	C-5 KSA 82		
		ATER WELL:	Fraction			ection Number		
	Montgo		SE		SE 1/4	13	T 32	S R 15 (E/)V
		on from nearest to lub Circle, Inc		et address of well if loo	ated within ci	ty?		
2 WATE	R WELL C	WNER: Magella	n Pipeline Com	pany, LP				
RR#, St.	Address, Bo	ox# : One Wil	lliams Center	,,			Board of Agriculture	e, Division of Water Resources
City, State	e, ZIP Code	Tulsa, O	OK 74172				Application Number	
		LOCATION SECTION BOX:						
- F		N						ft. 3 ft.
<b>↑</b>	1	, 5						o/day/yr
i' I		NE		•				urs pumping gpm
	1							urs pumping gpm
₩ W		E	[					in. to ft.
- '' [			WELL WATER	R TO BE USED AS:			8 Air conditioning	
	SW	65	1 Domesti			ater supply	9 Dewatering	
lı [		- SE	2 Irrigatio					Soil vapor extractio
<b>±</b> [		X	Was a chemic submitted	cal/bacteriological sam	ple submitted	•	t? YesNo ✓; ater Well Disinfectea?	If yes, mo/day/yr samole was Yes No ✓
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Con	crete tile	CASING JOINTS	: Glued Clamped
1 s	teel	3 RMP (S	R)	6 Asbestos-Cemer	nt 9 Othe	er (specify belo	ow)	Welded
(2)°	VC	4 ABS		7 Fiberglass				Threaded. 🗸
		r 4	in. to	.5 ft., Dia				in. to ft.
	•							auge No Sch. 40
_		R PERFORATIO			<b>⊘</b> P		10 Asbesto	
1 s	teel	3 Stainles	s steel	5 Fiberglass				pecify)
2 B	rass	4 Galvaniz	zed steel	6 Concrete tile	9 A			sed (open hole)
SCREEN	OR PERFO	RATION OPENIN	NGS ARE:		zed wrapped		8 Saw cut	11 None (open hole)
	continuous s		/iill slot		e wrapped		9 Drilled holes	rr riene (epon nele)
	ouvered shi		Key punched	7 Toro				
SCREEN-PERFORATED INTERVALS: From								
								ft. to ft.
	GRAVEL PA	CK INTERVALS						ft. to ft.
								ft. to ft.
6 GROU	T MATERIA	I Neat	cement	2 Cement grout	3 Ben	tonite 4	Other Concrete	
Grout Inte	rusk: Fro	m 0	ff to 2	ft From	2 <b>9</b> ff	to 4-3	ft From	ft. to ft
		ource of possible					stock pens	14 Abandoned water well
				7 Pit privy			•	15 Oil well/Gas well
l ' '							16 Other (specify below)	
	ertight sew		page pit	9 Feedyard	goon		cticide storage	Pipeline
1	from well?	E	page pit	3 Tecuyaru			ny feet? 375	Espenne
FROM	TO	E	LITHOLOGIC	CLOG	FROM	TO		ING INTERVALS
0	1.5	Topsoil,				T		
1.5	20		f-f) sl to mo	d. wthrd., Dusty Y	ell			
20	30.5			thrd., Med. to Lt.		1		***************************************
20	30.3	Shaic, Sandy,	II CSII to SI. W	tillu., Med. to Et.	<u> </u>			
	-							
	<del> </del>							
						+		
						+		
						1.	TARRAL EL .	
							SVE31, Flushmount	
					was (1) const	ructed, (2) red	constructed, or (3) plug	ged under my jurisdiction
				3/13/2006				t of my knowledge and belief.
Kansas W	ater Well C	ontractor's Licen	se No	<b>527</b> T	his Water We			/yr) 4/25/06
under the	business na	ame of	G	eoCore, Inc.		by (signa	ture) Nale	Kell
INSTRI Departi	UCTIONS: Us ment of Health	e typewriter or ball po and Environment, Bu	oint pen. <u>PLEASE F</u> ureau of Water, Tope	PRESS FIRMLY and PRINT eka, Kansas 66620-0001. T	clearly. Please elephone: 913-29	fill in blanks, unde 6-5545. Send one	rdine or circle the correct ans	wers. Send top three copies to Kansas and retain one for your records.