

WATER WELL RECORD Form WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App. No.

Well ID

Well ID

1 LOCATION OF WATER WELL: County: Fraction Section Number Township Number Range Number

2 WELL OWNER: Last Name: Business: Address: City: State: ZIP: Street or Rural Address where well is located

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S

4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: WELL'S STATIC WATER LEVEL: Pump test data: Estimated Yield: Bore Hole Diameter:

5 Latitude: Longitude: Datum: Source for Latitude/Longitude: 6 Elevation: Source:

7 WELL WATER TO BE USED AS: 1. Domestic: 2. Irrigation: 3. Feedlot: 4. Industrial: 5. Public Water Supply: 6. Dewatering: 7. Aquifer Recharge: 8. Monitoring: 9. Environmental Remediation: 10. Oil Field Water Supply: 11. Test Hole: 12. Geothermal: 13. Other

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected?

8 TYPE OF CASING USED: CASING JOINTS: Casing diameter: Casing height above land surface: TYPE OF SCREEN OR PERFORATION MATERIAL: SCREEN OR PERFORATION OPENINGS ARE: SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS:

9 GROUT MATERIAL: Grout Intervals: Nearest source of possible contamination: Direction from well? Distance from well?

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.





## BORING LOG / MONITORING WELL SCHEMATIC

BH/MW No.	Location of Drill Hole	Well ID Tag No.	Driller	Geologist
MW-11	See Map		W. Prestley	J. Schroed
Water Level Depths		GPS Coordinates		Type of Surface
		Lat: N37.22311		Asphalt - Concrete - Grass - Gravel
During Drilling		Long: W96.71174		Drilling Method / Sampling Method
				Air Rotary / Cuttings
End of Drilling				Total Depth
				15'

Sample Data				Soil Description			Well Construction		
Dpth Ft.	Sample No. & Type	% Rcvr.	PID	USCS	Geological Description & Remarks (include USCS classification) <small>Moisture - Plasticity - Consistency - Color - Odor - Particulates</small>	Dpth Ft.	Schematic	Details	
5					Concrete 1' + Reddish to dk bn Sandy clay	5		Elevation Casing: — Pad: —	
10					limestone	10		Protective Cover Type: Fresh concrete Size: 7" X 10" Pad Size: 24" X 6"	
15					Dark gray to black shale	15		Well Seal Type: Bentonite Amount: 50lb Water: (5g/50lbs) 5gal	
20						20		Well Pack Type: 12/20 Sand Amount: 250lb	
25						25		Riser Type: PVC Schedule: 40 Inside Diam.: 2" Length: 5'	
30						30		Screen Type: PVC Schedule: 40 Slot: 0.01 Inside Diam.: 2" Length: 10'	
35						35		End Cap Type: PVC Length: 2" Date Drilled: <del>8-10-21</del> 8-24-21 Date Completed: 8-11-21 8-24-21	

**GSI Engineering**  
 4503 E 47th Street South  
 Wichita, KS 67210  
 316-554-0725

Project Name:	Convenience Store
Project Location:	Independence
Signature:	
GSI Job. No.:	1774084
Date:	8-11-21 8-24-21



## BORING LOG / MONITORING WELL SCHEMATIC

BH/MW No.	Location of Drill Hole	Well ID Tag No.	Driller	Geologist				
MW-12	See Map		W. Presley	J. Schoed				
Water Level Depths	GPS Coordinates	Type of Surface		Drill Rig				
	Lat: N 37.2283	Asphalt - Concrete - Grass - Gravel		SS 30k				
During Drilling		Drilling Method / Sampling Method		Total Depth				
End of Drilling	Long: W 95.71179	Air Rotary / Cuttings		15'				
Sample Data				Soil Description		Well Construction		
Dpth Ft.	Sample No. & Type	% Rcvr.	PID	USCS	Geological Description & Remarks (include USCS classification) <small>Moisture - Plasticity - Consistency - Color - Odor - Particulates</small>	Dpth Ft.	Schematic	Details
5					Concrete H. Reddish to drk bn sandy clay	5		Elevation Casing: — Pad: — Protective Cover
10					Lined to ne Drk gray to black shale	10		Type: Flush mount Size: 7" X 10" Pad Size: 6" Well Seal
15						15		Type: Bentonite Amount: 50 lb Water: (5g/50lbs) 5 gal Well Pack
20						20		Type: 12/20 Sand Amount: 250 lb Riser
25						25		Type: PVC Schedule: 40 Inside Diam.: 2" Length: 5' Screen
30						30		Type: PVC Schedule: 40 Slot: 0.01" Inside Diam.: 2" Length: 10'
35						35		End Cap Type: PVC Length: 2" Date Drilled: 8-10-21 Date Completed: 8-11-21



**GSI Engineering**  
 4503 E 47th Street South  
 Wichita, KS 67210  
 316-554-0725

Project Name:	Convenience Store
Project Location:	Independence
Signature:	J. Schoed 8-24-21
GSI Job. No.:	1774084
Date:	8-11-21



## BORING LOG / MONITORING WELL SCHEMATIC

BH/MW No.	Location of Drill Hole			Well ID Tag No.	Driller	Geologist		
MW-13	See Map				W. Presley	J. Schoeder		
Water Level Depths		GPS Coordinates		Type of Surface		Drill Rig		
During Drilling	Lat: N37.		Asphalt - Concrete - Grass - Gravel		SS 304			
	Long: W95.		Drilling Method / Sampling Method		Total Depth			
End of Drilling			Air Rotary / Cuttings		13'			
Dpth Ft.	Sample Data			Soil Description		Well Construction		
	Sample No. & Type	% Rcvr.	PID	USCS	Geological Description & Remarks (include USCS classification) <small>Moisture - Plasticity - Consistency - Color - Odor - Particulates</small>	Dpth Ft.	Schematic	Details
5					Concrete 1' + Reddish to drk bn sandy clay	5		Elevation Casing: Pad: Protective Cover
10					Limestone	10		Type: Flush mount Size: 7" X 10" Pad Size: 6"
15					Drk gray to blk shale	15		Well Seal Type: Bentonite Amount: 50 lb Water: (5g/50lbs) 5 gal
20						20		Well Pack Type: 12/20 Sand Amount: 250 lb
25						25		Riser Type: PVC Schedule: 40 Inside Diam.: 2" Length: 5'
30						30		Screen Type: PVC Schedule: 40 Slot: 0-01 Inside Diam.: 2" Length: 10'
35						35		End Cap Type: PVC Length: 2" Date Drilled: <del>8-10-21</del> 8-24-21 Date Completed: <del>8-11-21</del> 8-24-21

<p style="margin: 0;"><b>GSI Engineering</b> 4503 E 47th Street South Wichita, KS 67210 316-554-0725</p>	Project Name: Convenience Store	
	Project Location: Independence	
	Signature:  8-24-21	
	GSI Job. No: 1774084	Date: 8-11-21



## BORING LOG / MONITORING WELL SCHEMATIC

BH/MW No.	Location of Drill Hole	Well ID Tag No.	Driller	Geologist
MW-14	See Amended map location		Alan Presley	Richard
Water Level Depths		GPS Coordinates		Type of Surface
During Drilling		Lat: N37	Asphalt - Concrete - Grass - Gravel	Drill Rig
End of Drilling		Long: W95	Air Rotary / Cuttings	SS 304
				Total Depth
				15'

Sample Data				Soil Description			Well Construction		
Dpth Ft.	Sample No. & Type	% Rcvr.	PID	USCS	Geological Description & Remarks (include USCS classification) <small>Moisture - Plasticity - Consistency - Color - Odor - Particulates</small>	Dpth Ft.	Schematic	Details	
5					Concrete It reddish to drk br lean sandy clay	5		Elevation	
					Thin lime layer			Casing: — Pad: —	
					Drk gray to blk shale			Protective Cover	
10						10		Type: <i>flexure</i> Size: 7" X 10" Pad Size: 6"	
								Well Seal	
15						15	Type: <i>Bestonite</i> Amount: 5s 1b Water: (5g/50lbs) 5gal		
							Well Pack		
							Type: <i>12/20 Sand</i> Amount: 250lb		
20						20	Riser		
							Type: <i>PVC</i> Schedule: 40 Inside Diam.: 2" Length: 5'		
25						25	Screen		
							Type: <i>PVC</i> Schedule: 40 Slot: 0-01 Inside Diam.: 2" Length: 10'		
30						30	End Cap		
							Type: PVC Length: 2"		
35						35	Date Drilled: 8-10-21 8:20:21 Date Completed: 8-11-21 8:24:21		

**GSI Engineering**  
 4503 E 47th Street South  
 Wichita, KS 67210  
 316-554-0725

**Project Name:** Convenience Store  
**Project Location:** Independence  
**Signature:** *[Signature]*  
**GSI Job. No.:** 1774084 **Date:** 8-11-21 8:24:21