

LOCATION OF WATER WELL		Fraction	S 1/2 of SE 1/4	Section Number	7	Township Number	T 32 S	Range Number	R 18 EW
County: Labette Co.		1/4	1/4	1/4					
Distance and direction from nearest town or city? 3.6 miles E. of Cherryvale, Kansas				Street address of well if located within city? N/A					
WATER WELL OWNER: Dept. of Army									
RR#, St. Address, Box # : Tulsa District Corps of Engineers, P.O. Box 61				Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : Tulsa, Oklahoma 74102				Application Number: N/A					
DEPTH OF COMPLETED WELL: 86.0 ft. Bore Hole Diameter: 6 in. to TD ft., and in. to ft.									
Well Water to be used as:									
1 Domestic		3 Feedlot		5 Public water supply		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		6 Oil field water supply		9 Dewatering		12 Other (Specify below)	
		7 Lawn and garden only		10 Observation well		Piezometer P-1			
Well's static water level: N/A ft. below land surface measured on month day year									
Pump Test Data: N/A Well water was ft. after hours pumping. gpm									
Est. Yield: N/A gpm Well water was ft. after hours pumping. gpm									
TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)		5 Wrought iron		8 Concrete tile		Casing Joints: Glued Clamped	
2 PVC		4 ABS		6 Asbestos-Cement		9 Other (specify below)		Welded Solvent	
				7 Fiberglass				Threaded	
Blank casing dia: 1-1/4 in. to TD ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface: 18 in., weight n/a lbs./ft. Wall thickness or gauge No Sch. 80 PVC									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel		5 Fiberglass		8 RMP (SR)		10 Asbestos-cement	
2 Brass		4 Galvanized steel		6 Concrete tile		9 ABS		11 Other (specify)	
								12 None used (open hole)	
Screen or Perforation Openings Are:									
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
2 Louvered shutter		4 Key punched		6 Wire wrapped		9 Drilled holes		1/2" ctrs.	
				7 Torch cut		10 Other (specify) 3 rows of 0.014" slots			
Screen-Perforation Dia: 1-1/4 in. to TD ft., Dia in. to ft., Dia in. to ft.									
Screen-Perforated Intervals: From TD less 4.0 ft. to TD less 0.25 ft. From ft. to ft. From ft. to ft.									
Gravel Pack Intervals: From TD less 5.17 ft. to TD ft. From ft. to ft. From ft. to ft.									
Filter "A" Sand From ft. to ft. From ft. to ft.									
GROUT MATERIAL:									
1 Neat cement		2 Cement grout		3 Bentonite		4 Other 4.0' Peltonite Seal above Pz.			
Grouted Intervals: From TD less 5.17 to TD less 9.17 From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination: N/A									
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage		14 Abandoned water well	
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage		15 Oil well/Gas well	
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage		16 Other (specify below)	
Direction from well: How many feet? Water Well Disinfected? Yes No X									
Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample									
was submitted month day year: Pump Installed? Yes No X									
If Yes: Pump Manufacturer's name Model No. HP Volts									
Depth of Pump Intake ft. Pumps Capacity rated at gal./min.									
Type of pump:									
1 Submersible		2 Turbine		3 Jet		4 Centrifugal		5 Reciprocating	
								6 Other	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on NOV. 10 month 10 day 1980 year									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 0102									
This Water Well Record was completed on December 31 month 1980 day year under the business									
Name of Layne-Western Company, Inc. by (signature) Janus Allen									
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:									
		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG		
		0	72 1/2	Embankment					
		72 1/2	85 1/2	Random Fill					
		85 1/2	86 1/2	V. stiff, BrCl, ss incl., sh. @ 85 1/2 (set p's tip @ 85 1/2)					
		86 1/2		TD					
ELEVATION: 880.92 MSL									
Depth(s) Groundwater Encountered 1. None ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)									

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

32

R

18

EW

SEC.

2

at SE 1/4