		WATE	R WELL RECORD	Form WWC-	KSA 82a	1-1212			
LOCATION OF WATER WELL:		Fraction 1/4	0	7 1	tion Number	2 2	ı	Range N	lumber
ounty: Sunne	on from pearest tow		Sil 14 C	1/4 1/4 1	12	J T 02	S I	R Ø	EBN
	rth Sunne								
WATER WELL O	WNER: James	10.0	• 1	·					
9# St Address B	Same	- Sculff	,			Board of A	griculture, Div	ision of Wat	er Resourc
ty, State, ZIP Code	PR 3	BOY 664					•		
LOCATE MELLIC	Lague Lague	Kansas		4210		Application	79.04		
AN "X" IN SECTI	LOCATION WITH ON BOX:	4] DEPTH OF C Depth(s) Ground	OMPLETED WELL. water Encountered	1 39.5	ft. ELEVA	ATION:	ft. 3		
		WELL'S STATIC	WATER LEVEL	38.44	elow land su	face measured on	mo/day/yr	5/3/9	1
i	1 i		test data: Well w		0.011 10.10 00	nado inidada, da dii	mor adyr yr	1=1 / 1 1/ 1 1 1	
NW	NE	•	test data. Well w					_	
!	1 !	Daniel III.	eter 8 2.5 in.	A2.5	II. a		nours pump		gp
w									
			O BE USED AS:	5 Public wat		8 Air conditioning		ection well	
SW -	SE	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	Min) 2 0	her (Specify	below)
1	1	2 Irrigation	4 Industrial			10 Monitoring well			
7 '		Was a chemical/b	pacteriological samp	le submitted to D	epartment? Y	esNo	; If yes, m		nple was su
		mitted				ater Well Disinfecte		No '	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Conci	ete tile	CASING JOI	NTS: Glued .	Clam	ped
1 Steel	3 RMP (SR	R)	6 Asbestos-Ceme	nt 9 Other	(specify below	w)	Welded		
(2)PVC	4 ABS	4.0	7 Fiberglass				Threade	ed <b>X</b>	
lank casing diamete	er	in. to <b>. 33</b>	ft., Dia	in. to		ft., Dia	in.	to	
asing height above	land surface	<del></del>	.in., weight			ft. Wall thickness	or gauge No.		
YPE OF SCREEN	OR PERFORATION	MATERIAL:			C	10 Asb	estos-cement		
1 Steel	3 Stainless	steel	5 Fiberglass	8 RI	MP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvanize		6 Concrete tile	9 AE			e used (open		
	ORATION OPENING			uzed wrapped		8 Saw cut	• •	1 None (op	en hole)
1 Continuous s				re wrapped		9 Drilled holes	,		
2 Louvered sh	_			• •			٨		
	TED INTERVALS:	From	33.0 ft. to	2312	4 5	10 Other (specify m	()		
ONCEN-FENFORA	TED INTERVALS.								
			ft. to						
GRAVEL F	PACK INTERVALS:		ft. to			m	ft. to.		
		From	31.0 ft. to	4312		m	ft. to		
GROUT MATERIA	AL: 1 Neat c	ement	2 Cement grout	3 Bent	onite 4	Other			
rout Intervals: Fi	rom <i>O.</i> • <i>5</i>	ft. to 31 : 6	ft., From	ft.	to	ft., From		ft. to	
hat is the nearest	source of possible of	contamination:			10 Lives	stock pens	14 Aba	ndoned wate	er well
1 Septic tank 4 Lateral lines			7 Pit privy		(11) Fuel storage 15 Oil well/Gas well				
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)				elow)
3 Watertight sewer lines 6 Seepage pit			9 Feedvard	-	13 Insecticide storage				
irection from well?	North	•	•			iny feet? > 200	<b>)</b> /		
FROM TO	1 140,10,1	LITHOLOGIC	LOG	FROM	ТО	PL	UGGING INT	ERVALS	
0 6"	TOPSOIL .		14						
6' 3'	FIII . A		ST CL						
3' 12'	ALLUV; DI	K BR, MOI							
121 17.5	, ,	3 - 1 101	JI, UL		<del>                                     </del>				
1 1 -		RBR, "	<del>, , , , , , , , , , , , , , , , , , , </del>						
		KNOH I II	<del></del>		ļ				
24.0 28.5		RBR'	) <i>II</i>	70					
28.5 36.0	'  'P	K BRNSH Y	, MOIST CL	(Sandy)	· ·				
36.0 43.5	$\mathcal{E}$	RUSH Y SA	ND ture	to mea 9	raered	POORLY GO	aded.		
			D	0	1	' 0			
									1
									4 11.14
									-
									<del></del>
					L			•:	
	OR LANDOWNER	S CERTIFICATI	ON: This water wel	was (1) constru					
empleted on (mo/da	, , ,	1.1.2001				ord is true to the be	st of my know	ledge and b	elief. Kans
ater Well Contract	or's License No()	531	This Water	r Well Resprd w	as completed	on (mo/day/yr)	PAL		
nder the business r	name of	DECLUITER	V AUIII	01 /10	by (signa	ture That I	i Walk	166.	
		The state of the s	4 June	Contract of the contract of th	2) (3.g.10		J		
	e typewriter or ball point p				underline or circ	e the correct answers. S	end top three cop		epartment