		<del></del>	ELL RECORD	Form WWC-		2a-1212		
LOCATION OF WA		Fraction	SW 1/4 SE		ction Number	1 20.	er	Range Number 20 EW
County: Labet	te	NW 1/4				T 32	S F	EXX
Distance and direction							Wo11	No. 10-3
	es East of		KS OII IIWY	100			well	NO. 10-3
WATER WELL OW		. Army		Dlan+		Do and of April		a of Mater Description
RR#, St. Address, Bo		as Army Am	municion	Plant		•		on of Water Resources
City, State, ZIP Code		ons, KS				Application Nu		fassing
LOCATE WELL'S L AN "X" IN SECTIO	OCATION WITH	DEPTH OF COMP	PLETED WELL	. 2.0	ft. ELEV	ATION: 900.79	.թ <b>ւ</b> զի. տ	L. CAS HIY
AII X 111 020110	N IDE	epth(s) Groundwate	r Encountered 1	000	ft.	. 2	tt. 3	, , , , ,π.
i   !						urface measured on mo		
\\w	NE	•				after h		
	Es					after h		
<u> </u>	Bc ا	ore Hole Diameter.				, and		
w   1	[	ELL WATER TO B	E USED AS:	5 Public wat	er supply	8 Air conditioning	11 Inject	ion well
-		1 Domestic	3 Feedlot	6 Oil field wa	iter supply	9 Dewatering	12 Other	(Specify below)
;	1X 1 1 1	2 Irrigation				Monitoring well		
i	l w	as a chemical/bacte	riological sample	submitted to D	epartment?	YesNoX	.; If yes, mo/c	lay/yr sample was sub-
,	ş mi	itted			<u>W</u>	Vater Well Disinfected?	Yes	No X
TYPE OF BLANK	CASING USED:	5 <b>\</b>	Vrought iron	8 Conci	ete tile	CASING JOINTS	3: Glued	Clamped
1 Steel	3 RMP (SR)	6 /	Asbestos-Cement	9 Other	(specify bel	ow)	Welded	
2 PVC	4 ABS		iberglass					
						ft., Dia		
Casing height above I	and surface2.	.4.ftin.,	weight	<u></u>	<u></u> lbs	s./ft. Wall thickness or g	auge No	.Sch .4.0
TYPE OF SCREEN O	R PERFORATION N	MATERIAL:		7 P\	$\odot$	10 Asbesto	os-cement	
1 Steel	3 Stainless st	teel 5 F	iberglass	8 RI	MP (SR)	11 Other (	specify)	
2 Brass	4 Galvanized	steel 6 (	Concrete tile	9 <b>A</b> E	s	12 None u	sed (open ho	ole)
SCREEN OR PERFO	RATION OPENINGS	ARE:	5 Gauz	ed wrapped		8 Saw cut	11 /	None (open hole)
1 Continuous sk	ot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shut	tter 4 Key	punched	7 Torch	ncut www.	<b>w</b>	10 Other (specify) .	Facto	ry Slot
SCREEN-PERFORAT	ED INTERVALS:	From AXX.	ft. to	RARKK	<b>菜取</b> X.ft., Fr	om	ft. to	
						rom		
GRAVEL PA	ACK INTERVALS:					rom		
		From	ft. to		ft., Fr			ft.
GROUT MATERIAL	L: 1 Neat cem	nent 2 Ce	ement grout	3 Bent	onite	4 Other		
Grout Intervals: Fro	m.(.3.) 2 . 5 . ft.	to 4 5	ft., From (.2.).	.0 ft.		ft., From		
What is the nearest so	• •							ned water well
1 Septic tank	4 Lateral I	lines	7 Pit privy		11 Fue	el storage	15 Oil well	/Gas well
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fer	12 Fertilizer storage 16 Other (specify below)		specify below)
3 Watertight sev	ver lines 6 Seepage	e pit	9 Feedyard		13 Inse	ecticide storage	Unkn	own
Direction from well?		•	_		How m	any feet?		
FROM TO		LITHOLOGIC LOG		FROM	то	PLUG	GING INTER	VALS
0.0 0.5	Silt, Yel	low Brown						
	Clay, Sil		Brown					
l l	Claystone	_						
		***************************************						
								THE STATE OF THE S
	<del></del>							
	<u></u>	000000000000000000000000000000000000000	<b>-</b>					. 1
						constructed, or (3) plug		
completed on (mo/day						cord is true to the best o	my knowled	ge and belief. Kansas
Water Well Contractor				vell Record w			1011	
under the business na		Vinnek Co.		Address of the Addres		nature Day	une C	But
INSTRUCTIONS: Use to of Health and Environment	ypewriter or ball point pen. nent, Bureau of Water, Top	. <u>PLEASE PRESS FIRML)</u> peka, Kansas 66620-000	and <u>PRINT</u> clearly. Ple 1. Telephone: 913-296-5	ease fill in blanks, 5545. Send one to	underline or cir WATER WELL	cle the correct answers send OWNER and retain one for yo	top three copies ur records.	to Kansas Department