WATI	rr wf	LL RECORD	Form W	/WC_5	r	livician of Wate	r Resources App. N	10	
I LOCATION OF WATER WELL: Fraction				11 C-3	Seci	ion Number	Township No.	Range Number	
County: 44 bette				: 15 NU		11	T 32 S	R ZO DE DW	
Street/Rural Address of Well Location; if unknown, distance & direction							System (GPS) is		
from nearest town or intersection. If at owner's address, check here						Latitude: 37.27645 (in decimal degrees)			
KS PAP Scott stt 24000 Rd					Lon	Longitude: (in decimal degrees)			
D					Elev	Elevation:			
Parsons Ks 2 WATER WELL OWNER: 45 Army Car ps cit Engine 5 PRE Simple Address Parsit in A. E. 12 Cit D. 442					Doty	<u>Datum</u> : ₹ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 47	RR#, Street Address, Box #: 601 E 12 Si Rm 463						Collection Method: GPS unit (Make/Model: Falm: 1 Ft.d.)		
KKW, Street Voltess, Dox 6. Go, P 15 24 1/W 167						Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code : 10-5-5 C. 44 MD 64106 Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: C < 3 m. 3-5 m. 5-15 m. >15 m									
3 LOCATE WELL									
	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
	Pump test data: Well water wasft. after hours pumping gpm								
N	EST. YIELDgpm. Well water was								
w X									
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water well districted: [2] 163									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
, <u>-</u>	Sicel	Stainless Steel	□ PVC	ł	Other ((Specify)	++++++++++++++++++++++++++++++++++++++	*********	
	Brass			ole)					
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
From									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout In	tervals:	From			. fl. to	ft.,	From	. ft. 10ft.	
What is the nearest source of possible contamination:									
	Septic ta			🔲 Liveslock		Insecticide		er (specify below)	
	Sewer lis		Sewage lagoon	Fuel store		Abandoned			
		ht sewer lines 🏻 Seepage pi	Feedyard	Fertilizer		Oil well/gas			
		LITHOLOGI	CIOC			ell	VG () DI II	CCDIC DITERVALE	
FROM	70 8.5	Cl<7	C LOU	FROM	το	LITTO. LO	G (cont.) or PLU	GGING INTERVALS	
9.5	15	Line show				 			
16	18	54614				1			
				<u> </u>					
						l	· · · · · · · · · · · · · · · · · · ·		
			······································						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged									
under my jurisdiction and was completed on (mo/day/year)9.7.1.5 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No									
under th	e busines	is name of	Do://:3		by (s	ignature)	3Acochbe	*********	
		Use typewriter or ball point pen.							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367 Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdbcks.gov/watcovell/index.html									