				R WELL RECORD		KSA 82a-1			
	N OF WATE		Fraction		Sec	tion Number	Township Nur		Range Number
County:		okee		SE ¼ N		26	⊤ 32	S	R 22
			Hallov	ress of well if located well Explosives		well, Kans	as		
WATER	VELL OWNE	R: Cheme	ex 1 c/o Arcad	lis					
R#, St. Add	ress, Box #	: 8725 R	Rosehill, Suite	350			Board of Agricu	Iture, Divis	sion of Water Resources
ity, State, Z	IP Code	: Lenex	a, Ks 66215				Application Nun	nber:	
LOCATE	WELL'S LOC SECTION BO	ATON WITH	4 DEPTH OF CO	MPLETED WELL	20	ft FIF\	/ATION:		
	SECTION		Depth(s) Grounds	ester Encountered	1 N	Δ fr	2	ft '	 3Ft.
	NI.		Depth(s) Ground	MATED I EVE	NA #	below land e	urface measured or	moldayly	у
. —	N								
î l									umping Gpm
	NW 	- NE	Bara Hala Diament	Gpm: vveliwat	erwas	「	t. aitei	Hours p	umping Gpm
<u>o</u>	i I	_i^_l	WELL WATER TO	D BE USED AS: 5	Public water s	upply	8 Air conditioni	na 11	Injection well
M	<u> </u>		1 Domestic	3 Feed lot 6	Oil field water	supply	9 Dewatering	12	to Ft. Injection well Other (Specify below)
1	1		2 Irrigation	4 Industrial 7	l awn and gar	den (domestic	:) 10 Monitoring	_{well} M	W-8
	sw	- SE	Was a chemical/h	acteriological sample	submitted to	Denartment?	Yes No X	If ves	mo/day/yr sample was
ŧ L	i		Submitted	acteriological sample	dubinitied to		ter Well Disinfected		· · · · · · · · · · · · · · · · · · ·
TYPE OF	BLANK CAS	ING LISED	Cubrinted	5 Wrought Iron	8 Concr	ete tile			Clamped
1 Stee			SR)	6 Asbestos-Ceme				Welde	
		T 4 ABS	O. ()		n a Outer	(abecity pato			ded X
2 PVC		_ 4 ABS		7 Fiberglass Ft.,					
lank casing	diameter	2	In. to 10	Dia	ln.	to	ft., Dia		in. to ft.
asing heigh	t above land	surface	FLUSH in	n., weight	SCH 40	Lbs./ft.	Wall thickness or	gauge No.	in. to ft.
			N MATERIAL:		7	PVC	10 Asbes	tos-cemer	nt
1 Stee	el	3 Stainle	ess steel	5 Fiberglass					
2 Bras	ss	4 Galvai	nized steel		9	ABS	12 None	used (ope	n hole)
CREEN OR	PERFORAT				ized wrapped		8 Saw cut	•	11 None (open hole)
1 Conf	tinuous slot		Mill slot	6 Wir	e wrapped		9 Drilled holes		
2 Louv	vered shutter	4	Key punched	7 Tor			10 Other (specify	y)	
CREEN-PE	RFORATED	INTERVALS:							ft.
			From	ft. to		ft. F	rom	ft. to	Ft.
SAN	D PACK INTE	RVALS:	From	8 ft. to	20.2		rom	ft. to	•Ft.
γ			From	ft. to		ft. F	rom	ft. to	Ft.
6					:	:			
GROUT N	MATERIAL:	1 Neat	cement 2	Cement grout		tonite	4 Other		
Grout Interva	ls From3	0	Ft. to 6	Ft. From2	6 Ft.	8	ft From		ft. toft.
			contamination:			10 Livest	ock pens	14 Aba	ndoned water well
1 Sept		, or possible .	4 Lateral lines	7 Pit priv	rv		storage		vell/ Gas well
2 Sew			5 Cess pool	8 Sewag			zer storage	_	er (specify below)
	ertight sewer	lines	6 Seepage pit	9 Feedy	•		ticide storage		ntaminated Site
Direction fron	•	111103	o Geepage pit	3 1 eedy	aru	How many			itaiiiiiatoa Oito
FROM	TO	CODE	LITHOLO	OGIC LOG	FROM	TO		GING IN	TERVALS
0	4.5		ty Clay, dark				, 200		
4.5	13		ty clay, dark						
13	16		ale, weathere						
16	17	Co							
17	20		ale						
20	TD	En	d of Borehole)					
						 			
CONTRAC	CTOR'S OR	ANDOWNE	R'S CERTIFICATIO	N: This water well v	/as (x) constru	cted, (2) reco	nstructed, or (3) plu	gged unde	er my jurisdiction and w
_	CTOR'S OR I		R'S CERTIFICATIO						er my jurisdiction and w
ompleted or	n (mo/day/yr)		06/11		And th	is record is tr	ue to the best of my	/ knowledg	je and belief. Kansas
ompleted or Vater Well C	n (mo/day/yr) contractor's Li siness name	cense No.	06/11 Associate	/04	And the This V	is record is tr Vater Well Re	ue to the best of my cord was completed v (signature) Bra	/ knowledg d on (mo/d dley J. J	ge and belief. Kansas ay/yr) 02/12/106 Johnson