	<u> </u>	D14/=::	WATE	ER WELL REC	ORD Forr		KSA 828		alaia Niverta		aa Nimat	
	ON OF WATE	R WELL: rokee	Fraction SW 1/4	SE .	, NE	% Sect	ion Numb 26	er Town	nship Number 32 S	Ran	ge Numbe 22	
County:			town or city street ad						JL 5	K		<u></u>
Distance an	ia direction no	iii ileales		well Explo			vell, Ka	nsas				
2 WATER	WELL OWNE	R: Che	mex 1 c/o Arca								-1.7.	
RR# St Ad	Idress Box #	872	5 Rosehill, Suit	e 350				Board	of Agriculture, D	ivision of W	ater Reso	ources
City State	7ID Code	Len	exa, Ks 66215						ation Number:	11101011101111	4101 1 1000	
LOCATE	E WELL'S LO	CATON W	ITH ,					•				
3 AN "X" II	N SECTION E	OX:	DEPTH OF C	COMPLETED	WELL	24	ft. EL	EVATION:				
			Depth(s) Ground	lwater Encour	ntered 1	N/	<u>\</u>	ft. 2	ft.	3		Ft.
	N		WELL'S STATIC	WATER LEV	/EL N	IA ft.	below land	d surface mea	asured on mo/da	ay/yr		
Α Γ	- i	· i							hour			Gpm
	1	!_	Est. Yield	Gpm:	Well water v	vas		Ft. after	Hour	s pumping		Gpm
	NW	NE	Bore Hole Diame WELL WATER T 1 Domestic	eter 8	In. to	24	ļ	Ft. and		in. to		Ft.
W ∰ W		\	E WELL WATER T	O BE USED	AS: 5 Pul	olic water su	pply	8 Air c	conditioning	11 Injectio	n well	
- · · · ·	· .	ī	1 Domestic	3 Feed lo	t 6 Oil	field water s	supply	9 Dew	vatering	12 Other (Specify be	elow)
	sw	SE	2 Irrigation	4 Industri	al 7 Lav	vn and gard	en (dome	stic) 10 Mo	onitoring well	MW-10		
	, i	i	Was a chemical/									was
	<u>i</u>		Submitted	J					sinfected? Yes		No X	
5 TYPE O	F BLANK CAS	SING USE		5 Wrough	nt Iron	8 Concre			NG JOINTS: GI			, –
1 Ste			MP (SR)	-	os-Cement					elded	Olampou	
		7 4 AE	, ,					,		readed	Υ	
2 PV	C .	4 At	35	7 Fibergla	ass				- L I	readed	^-	
Blank casin	g diameter	2	In. to 14	Dia		In. t	0	ft., Dia		in. to		ft.
Casing heig	tht above land	surface	FLUSH	in., weight	SC	H 40	Lbs.	/ft. Wall thick	ness or gauge l	No.		
			TION MATERIAL:	,		7	PVC	1	0 Asbestos-cei	ment		
1 Ste				5 Fibergla	ass	8	RMP (SR	1	1 Other (specif			
2 Bra	ass	4 G	alvanized steel	6 Concre	te tile	9	ABS `		2 None used (
SCREEN O	R PERFORA	TION OPE	NINGS ARE:		5 Gauzeo	d wrapped		8 Saw	cut	11 None	e (open ho	ole)
1 Co	ntinuous slot		3 Mill slot		6 Wire w	rapped		9 Drille				
2 Lo	uvered shutte	r	4 Key punched		7 Torch o			10 Othe	r (specify)			
SCREEN-P	PERFORATED	INTERVA	ALS: From	14 f	t. to	24	ft	. From	f	t. to		ft.
			From	f	t. to		ft.	. From	f	t. to		Ft.
SA	ND PACK INT	ERVALS:		12.5 f	t. to	14	ft	. From	f	t. to		Ft.
			From		t. to			. From		t. to		Ft.
6 GROUT	MATERIAL:	1 N	eat cement 2	Cement gro	ut	3 Ben	tonite	4 Other				
		•	- 44.5	Ft.	44	Ft.						
1			Ft. to 11.5	From2	31.3	b to			From	ft. to		ft.
1 .		ce of possi	ble contamination:	_				estock pens		Abandoned v		
	eptic tank		4 Lateral lines		Pit privy			el storage	_	Dil well/ Gas		
	wer lines		5 Cess pool		Sewage la	agoon		rtilizer storage		Other (specif		
ı	atertight sewer	r lines	Seepage pit	9	Feedyard			ecticide stora	ge C	ontamin	ated Si	ite
Direction fro	T						How ma	ny feet?				
FROM	то	CODE		OGIC LOG		FROM	ТО		PLUGGING	INTERVAL	S	
0	.5		Graded gravel									
.5	4		Silty Clay									
12.5	13.5		Silty Clay	- A								
13.5 18	18 20		Shale, weather Coal	eu			-					-
20	22		Shale, light yel	low brow	n				**			
22	24		Shale, weather									
24	TD		End of Borehol									
,												
			NER'S CERTIFICATI				ted, (2) re	constructed,	or (3) plugged u	nder my juri	sdiction a	nd w
Completed	on (mo/day/yr	·)	06/1	0/04		And th			est of my knowl			
Water Well	Contractor's L	icense No).	585		This W	ater Well	Record was o	completed on (m	io/day/yr) _	02/12	106
under the b	usiness name	of	Associat	ted Enviro	onmental	, inc.		By (signature	e) Bradley	J. Johnso	n D/	M
			lanks and circle the corr						and Environment,	Bureau of Wa	ater, Topiek	þ,
Kansa	s 66620-0001.	i elephone	913-296-5545. Send	one to WATER	WELL OWN	ER and retain	one for yo	our records.			//	