WATER WELL REC	ORD	Form W	WC-5	Di	vision of Wate	er Resources App. N	[0.	
1 LOCATION OF WAT County: LACC		Fraction SUL SE 1/4 N		Section	on Number	Township No.	Range Number R 22	
Street/Rural Address of	f Well Location; i	if unknown, distance &	& direction	Globa	I Positioning	g System (GPS) is	nformation:	
from nearest town or intersection: If at owner's address, check here				Latitu	Latitude:			
Arribed Nap				Long	Elevation:			
2 WATER WELL OWNER, //./a Danadas				Datum	<u>Datum</u> : ☐ WGS 84, № NAD 83, ☐ NAD 27			
RR#. Street Address. Box #:					Collection Method: GPS unit (Make/Model:)			
2 WATER WELL OWNER: Kyke Rennies RR#, Street Address, Box #: City, State, ZIP Code 3 LOCATE WELL 1 COlumbus ks (6725)				Z I	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL	Clus	nous, ks e	6129	~ t	.ccuracy:	<3 m, ⅓ 3-5 m, □] 5-15 m,	
WITH AN "X" IN	4 DEPTH OF (COMPLETED WEL	L 💝 🛎		ft.			
SECTION BOX: Depth(s) Groundwater Encountered (1)								
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr Pump test data: Well water wasft. after								
W Bore Hole Diameter 7.5. in. to 65.7.ft., and in. to ft.								
							.ft.	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No Prezentation								
S If yes, mo/day/yr sample was submitted								
water well disinfected? Tes								
5 TYPE OF CASING USED: Steel PVC Other								
Casing diameter in. to								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 65.2 ft. to 55.2 ft., From ft. to ft.								
SCREEN-PERFORATED INTERVALS: From								
From							to ft.	
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft. From ft.								
Grout Intervals: From								
Septic tank	Lateral lin	es Pit privy	Livestock		Insecticide		her (specify below)	
Sewer lines Watertight sewer lin	Cesspool	Sewage lagoon it Feedyard	☐ Fuel storag		☐ Abandoned ☐ Oil well/ga	d water well	ALMER	
Direction from well				-	-			
FROM TO	LITHOLOG	IC LOG	FROM	ТО	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 13.5 BM	clary							
13,5/4.8 Tan	4 5486							
194 104 100								
	y Shale						1444-1444-1444-1444-1444-1444-1444-144	
3610 609 604	shif							
60'9 62'2 Car				···			######################################	
622 643 Gruy	Shelo							
7 CONTRACTOR'S ONLANDOWNER'S CERTIFICATION. This								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, \square reconstructed, or \square plugged under my jurisdiction and was completed on (mo/day/year) of the last of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of								
(white, blue, pink) to Kansas D	epartment of Health	and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW Ja	ickson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								

