	+	ELL RECORD	Form WWC-5	KSA 82a		a Number	Bango N	lumber
LOCATION OF WATER WELL:	Fraction	VW14 N	Sect	ion Number	Townshi	Number 2_ S	Range N	E/W_
County: Level Level County: Le					<u>,</u>			
Lun 102 4 Lyle			•					
	sto Via				MU			
RR#, St. Address, Box # : 973	3. 260th				Board	of Agriculture, [Division of Wate	er Resources
014 Out 710 Code 1 10.4	tsh~. Ks	.			Applica	ation Number:		
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COMP	LETED WELL	14.5	. ft. ELEVA	TION:			
N De	epth(s) Groundwater	r Encountered 1			dace measure	t on mo/day/vr		
₹	ELL'S STATIC WAT	ren Level rdata: Well wate		ow land Sul	nace measure	hours bu	mping	gpm
NW NE	st. Yield	data: Well wate	r was	ft a	after	hours pu	mping	gpm
' ! ! .	ore Hole Diameter	gpiii. Well water	was	ft	and	in	. to	
	ELL WATER TO BE		5 Public wate		8 Air conditio	ning 11	Injection well	
_	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9_Dewatering	12	Other (Specify	below)
SW SE	2 Irrigation	4 Industrial	7 Lawn and g	arden only	Monitoring	well		
	as a chemical/bacte	riological sample	submitted to De	partment? Y	esNo); If yes	, mo/day/yr san	nple was sub
† <u></u>	itted			Wa	ater Well Disinf	ected? Yes		
5 TYPE OF BLANK CASING USED:	5 V	Wrought iron	8 Concre	te tile	CASING	JOINTS: Glue		
1 Steel 3 RMP (SR)	6 A	Asbestos-Cement		specify belo			led	
2 PVO 4 ABS	7 F	Fiberglass				Thre	adeg	
Blank casing diameter in.	. to <u></u>	ft., Dia	in. to		ft., Dia		in. to	π.
Casing height above land surface	 in.,	weight	<u></u>	Ibs.	/ft. Wall thickn	ess or gauge N	lo	
TYPE OF SCREEN OR PERFORATION I			O V			Asbestos-ceme Other (specify)		
1 Steel 3 Stainless st		-iberglass		P (SR)		None used (or		
2 Brass 4 Galvanized	*	Concrete tile	9 AB	5	8 Saw cut	140ne useu (o)	11 None (op	en hole)
SCREEN OR PERFORATION OPENINGS			ed wrapped wrapped		9 Drilled ho	nles	77 Mone (op	,
1 Continuous slot 3Mill:		7 Torch	• •			pecify)		
	punched From	, , , , , , , , , , , , , , , , , , ,	14.	ft. Fro				
SCREEN-PERFORATED INTERVALS:	From	ft to		ft Fro	om	ft.	to	. , ft
GRAVEL PACK INTERVALS:	From. 3.4	ft. to .	14.5	ft., Fro	om	ft.	to	ft
GIAVEE I NOR IIVE IVINES.	From	ft. to			om		to	
6 GROUT MATERIAL: 1 Neat cer	ment 20	ement grout _	S ento					
Grout Intervals: From	to	. ft., 🗜 From 🎾) l ft.	to 37.9	∜ ft., Fro	m .	ft. to	
What is the nearest source of possible co	ontamination:				stock pens		Abandoned wat	
1 Septic tank 4 Lateral	lines	7 Pit privy			storage		Dil well/Gas we	
2 Sewer lines 5 Cess pe		8 Sewage lag	joon		ilizer storage		ther (specify b	pe <u>lo</u> w)
3 Watertight sewer lines 6 Seepag	je pit	9 Feedyard			cticide storage	Lor	,	کر ۶ . ب
Direction from well?	LITHOLOGIC LOG		FROM	How ma	any feet?	PLUGGING	INTERVALS	
FROM TO	Black	· · · · · · · · · · · · · · · · · · ·	FROM	'0				
0.5 3 Clans	, 042R							
	DK Rd br	2 - Cad b	m, ver	~ Five	Sund			
8 12 Clan	and occur	y has w	acon.					
3 8 Clay, 8 12 Clay, 12 14 Clay,	hom. = 7in	Dand wi	gravel	(Some)			
14 15 Shill b	m. Plats	3 J= 1						
					$-\bigcirc$. L ha	11145
					1 8u	~>~mor	Tour lan	V V -
				1		by Vi	intox	
				L	<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S	S CERTIFICATION:	This water well	was (1) constru	icted, (2) red	constructed, or	(3) plugged ur	naer my jurisdia	ction and wa
completed on (mo/day/year)	D. U. Ø			and this red	cord is true to t	he best of my k	now <u>ie</u> age and i	peller. Kansa
Water Well Contractor's License No	433 TEST.	This Water	Well Record w	as completed	on (mo/day/y	りこないろこ	1 2 11	
under the business name of							a conice to	Department
INSTRUCTIONS: Use typewriter or ball point pe of Health and Environment, Bureau of Water, To	n. <u>PLEASE PRESS FIRML</u> opeka, Kansas 66620-000	<u>Y</u> and <u>PRINT</u> clearly. F 01. Telephone: 913-296	rease till in blanks, -5545. Send one to	unaerline or cire WATER WELL	OWNER and retain	wers, bend top thre one for your recor	ds.	Soparinent