LOCATION OF WA		Fraction	WZM	5W .	Section Numb		ip Number Z S	Range N	\sim
County: Charol						1 1 2	4 s	<u> н сч</u>	(E/W
	from nearest town of			Judieu Within	on y :				
26 N 24	Columbus, t	5 a	MMX I						
	VNER: American		Dervices-	Wheatla	nd LF				
	× # : P.O. Bo×						of Agriculture,	Division of Wat	er Resource
City, State, ZIP Code	Columbu	<u> ۲۶ رو</u>	66725				ation Number:		
LOCATE WELL'S I	OCATION WITH 4	DEPTH OF CO	OMPLETED WEL	L. 27	ft. ELE	VATION: .916	,5 ft m	BL (e)	
AN "X" IN SECTIO	N BOX: De	pth(s) Groundy	vater Encountere	d 1 Z (.	t. 2	ft. 3	3	
ī	WE WE	ELL'S STATIC	WATER LEVEL	19.88	ft. below land	surface measure	d on mo/dav/vr	4/24/	98
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		test data: Well						
NW	NE Ect		gpm: Well				•		
1 !			ter 6 ir						
* w	 		-						
≥			O BE USED AS:		water supply		-	Injection well	
1 Xsw	SE	1 Domestic	3 Feedlot			9 Dewatering			
] {	1 1 1	2 Irrigation	4 Industrial		-	40 Monitoring			
	l Wa	as a chemical/b	acteriological san	nple submitted				, mo/day/yr san	nple was sut
_	S mit	tted				Water Well Disin	fected? Yes	No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 (Concrete tile	CASING	JOINTS: Glue	d Clam	ped
1 Steel	3 RMP (SR)		6 Asbestos-Cen	nent 9 0	Other (specify be	elow)	Weld	led	
2 PVO	4 ABS		7 Fiberglass					adeo	
Blank casing diamete	r	to 1.7	ft., Dia		in. to	ft., Dia .		in. to	, ft.
Casing height above									
TYPE OF SCREEN O			. 0	-	7 PVO		Asbestos-ceme		
1 Steel	3 Stainless ste		5 Fiberglass	•	8 RMP (SR)		Other (specify)		
2 Brass	4 Galvanized		6 Concrete tile		9 ABS		None used (or		· · · · · · · · · · ·
	RATION OPENINGS			Gauzed wrapp		8 Saw cut	None asea (or	11 None (ope	on holo)
		_				9 Drilled ho	Non	i idone (ope	en noie)
1 Continuous sl				Wire wrapped					
2 Louvered shu	tter 4 Key p	ouncnea 	13 "	Forch cut	2	10 Other (sp	pecify)	. <i></i>	
	TED INTERVALS:	From	11 #						
SCREEN-PERFORAT					ት ft., F				
			ft.		7 tt., F	rom	ft t	to to	
				to Z	7 ft., F ft., F	From	ft. 1	to to to	ft. ft. ft.
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem	From	ft. ft. ft. 2 Cement grout	to Z. to	ft., F	FromFrom	ft. 1	to to to	ftft. ft.
	ACK INTERVALS: L: 1 Neat cem	From	ft. ft. ft. 2 Cement grout	to Z. to	ft., F	FromFrom	ft. 1	to to to	ftft. ft.
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem omft.	From	ft. ft. ft. 2 Cement grout	to Z. to	ft., F	FromFrom	ft. 1	to to to	
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem omft.	From From to	ft. ft. ft. 2 Cement grout	to z	ft., F ft., F Bentonite ft. to	From From From 4 Other ft., Fro	ft.	to	
GRAVEL PARTIES GROUT MATERIA Grout Intervals: From What is the nearest Solution 1 Septic tank	L: 1 Neat cemomft.	From Prom Prom Prom Prom Prom Prom Prom P	ft. ft. 2 Cement grout ft., From 7 Pit priv	to Z to	##	From From 4 Other tt., Frovestock pensel storage	m	tototo	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage	to Z- to 3	##	From From 4 Other tt., Frovestock pensel storage	m	tototo	ft
GRAVEL PAGE GROUT MATERIA Grout Intervals: From What is the nearest so	ACK INTERVALS: 1 Neat cem cm	From	ft. ft. 2 Cement grout ft., From 7 Pit priv	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft. 1 ft. 1 ft. 1 m	tototo	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well?	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Frovestock pensel storage	ft. 1 ft. 1 ft. 1 m	to	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO C 22.5 22.5 24.6	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 22.5 22.5 24.6 24.6 26.0	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	ft
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	ft
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO 0 22.5 22.5 24.6 24.6 26.0	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	ft
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	ft
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	ft
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PARTICIPATION OF TROM TO CO. 22.5 24.6 25.0 26.0 27.0	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PARTICIPATION OF TROM TO CO. 22.5 24.6 25.0 26.0 27.0	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PARTICLE OF THE PARTICL	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PARTICLE OF THE PARTICL	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PARTICLE OF THE PARTICL	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z- to 3	ft., F ft., F Bentonite ft. to	From From 4 Other tt., Fro yestock pens el storage entilizer storage secticide storage	ft.	to	
GRAVEL PA	ACK INTERVALS: L: 1 Neat cem om	From	ft. ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z to to 3	## ft., F ## ft., F	From	m	to	ftftftftftftftft
GRAVEL PA	ACK INTERVALS: 1 Neat cem om	From. From. From. From. Intent to 14. Intamination: Intent to 14. Intent to	ft. ft. ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya OG kndy Sitt	to Z to to 3	## ft., F ## ft., F	From	m	to	ftftftftftftftft
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO O 22.5 22.5 24.6 24.6 26.0 26.0 27.0 TD	ACK INTERVALS: L: 1 Neat cem om	From. From. From. From. Intent to 14. Intamination: Intent to 14. Intent to	ft. ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to Z to to 3	## A	From	m	to	ftftftftft
GRAVEL PA GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser Direction from well? FROM TO O 22.5 24.6 24.6 26.0 26.0 27.0 TD TO TO TO TO TO TO TO TO TO	ACK INTERVALS: L: 1 Neat cem om. 1. ft. source of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage SW Lat Bran Sitt. Lat Gray C Black Coal (I Coal Slag	From. From. From. From. From. Intent to 14. Intention:	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya OG Condry Sitt Void ON: This water w	y e lagoon and FRC	Bentonite ft. to. 10 Lin 11 Fu 12 Fe 13 In: How DM TO Donstructed, (2) r and this re	From	m	to	ftftftftft
GRAVEL PA GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight see Direction from well? FROM TO O 22.5 Z2.5 Z4.6 Z4.6 Z6.0 Z6.0 Z7.0 TD TO CONTRACTOR'S completed on (mo/da)	ACK INTERVALS: L: 1 Neat cem om	From.	ft. ft. ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya OG Condry Sitt Void ON: This water w	y e lagoon and FRC	Bentonite ft., F ft., F ft., F Bentonite ft. to 10 Liv 11 Fu 12 Fe 13 In: How IDM TO DM TO Distructed, (2) ro and this ro rd was completed.	From	m	to	ftft ftft ftft ftft ftft er well ll elow) l