CORRECTION(S) TO WATER WEL (to rectify lacking or incorrec	t information)
Location listed as:	County: <u>Cherokee</u> Location changed to:
Section-Township-Range: None Given	22-325-25E
Fraction (1/4 1/4 1/4):	NW NW NE
Other changes: Initial statements:	· · · · · · · · · · · · · · · · · · ·
Changed to:	
Comments: <u>Latitude</u> : 37°15′01.7′ (obtained from well contr	N., Longitude: 94°39'30.9" W.
verification method: Phone call to well cont	,
conversion tool on KG5 webs	,
1:24,000 topo. map.	initials: OR date: 6/20/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to Versia Dark Strath & Francisco A Division of Water 1000 SW Indiana Suite 420 Tomaka VS 66612 1267

1:24,000 topo. map.

T			TER WELL R	ECORD Form WWC		2a-1212 ID No		
	ON OF WAT		Fraction			Section Number	Township Number	Range Number
	HEROI		un or oitu otro	1/4 1/4	1/4	0	<u>T S</u>	R E/
distance an	ia direction i	rom nearest tov	vii or city stre	et address of well if loca	-	io ks		
WATER	WELL OWN	NER:						
City, State,		:					Application Number:	Division of Water Resou
	WELL'S LO		Depth(s) Gr WELL'S STA	oundwater Encountered ATIC WATER LEVEL Pump test data: Well w	1ft. ft. vater was	ft. below land surface ft. a	10N:2	3
w	-NW	- NE 		ER TO BE USED AS: stic 3 Feedlot	5 Public wat 6 Oil field w	er supply ater supply	8 Air conditioning 11	Injection well Other (Specify below)
	-SW	- SE	Was a chem mitted	nical/bacteriological sam	ple submitted	•	es No; If yes, ter Well Disinfected? Yes	mo/day/yrs sample was No
1 Stee	L	ASING USED: 3 RMP (S	R)	5 Wrought iron 6 Asbestos-Cemen	nt 9 Oth	ncrete tile ner (specify below)	We	ldedIded
2 PVC		(1) ^{4 ABS}	5/4 in 10	7 Fiberglass 4.2 # Die		in to	Thi	readed
							lbs./ft. Wall thickness or gua	
		PERFORATION				PVC	10 Asbestos-Ce	
1 Stee		3 Stainles		5 Fiberglass		RMP (SR)		fy)
2 Bras		4 Galvania	zed Steel	6 Concrete tile		ABS `	12 None used (
SCREEN C	R PERFOR	ATION OPENI	NGS ARE:	5 G	auazed wrapp	ed (8 Saw cut	11 None (open hole)
	inuous slot		fill slot		Vire wrapped		9 Drilled holes	., ,
2 Louv	ered shutter	r 4 K	ey punched		orch cut		10 Other (specify)	
SCREEN-F	PERFORATE	D INTERVALS	: From	170 ft. to	277	t., From	ft. 1	to
_							ft. 1	
G	HAVEL PAG	CK INTERVALS					ft. 1	
			1 10111			10.11		,0
	T MATERIA		t cement	2 Cement grout		Bentonite 4	Other	
Grout Inter	vals: Fron	1 4	ft. to	4.2 ft., From	/#	ft. to	ft., From	ft. to
What is the	nearest sou	urce of possible	contamination	n:		10 Livest	ock pens 14	Abandoned water well
1 Sep	tic tank	4 Late	ral lines	7 Pit pi	rivy	11 Fuel s	torage 15	Oil well/Gas well
2 Sew	er lines	5 Ces	s pool	8 Sewa	age lagoon	12 Fertiliz		Other (specify below)
3 Wat	ertight sewe	r lines 6 See	page pit	9 Feed	dyard	13 Insect	icide storage	TENE SHAF
Direction fr	om well?					How man	y feet?	
FROM	TO		LITHOLO	GIC LOG	FRON	1 TO	PLUGGING	NTERVALS
0	65	SHALE	NO	WATER				
<u>65</u>	190		7612	LIME STUNE				
	250	169						
250	258			E 106PM				
158	277.6			SIAAT WUR		5		
		WATER	2 FILL	ED TOIT	LULE		REC	EIVED
	'						JUN	0 8 2006
							BUREAU	JOFWATER
7								
							nstructed, or (3) plugged u	
completed o	on (mo/day/y	ear) 5 //	5/06	1		and this red	cord is true to the best of my d on (mo/day/yr)	knowledge and belief. Ka
			7501	This W	ater Well Rec			4/46
under the b	usiness nam	ne of				by (signature	