1 LOCA	TION OF WA	ATER WELL:	FRACTION	- W	HET WELL KESSHOL	Form WWC-	Section Number	Township Number	Range Number	
H	Cowle	w	SE 1	1/4 SE	1/4 N	E 1/4	11	т 32 в	B 3E FAV	
Distance		frem nearest town or city stree						1 32 3	R SE EAW	
7 m. S. of Udall on Cowley Co#3, to Co#18, E. 3 m., 1/2 S. W. side Udall, K.										
- / W					3, to	CO#19	, E. 3 m	., 1/2 S. W. S1	de nggii'\o'	
	TER WELL (Deard of Auriculture D	ivivsion of Water Resource	
1	ST. ADRESS,						CD 1 F C	-		
_	, STATE, ZIP					100	67156	Application Number	r:	
	TE WELL'S I " IN SECTIO	N POV.		COMPLETE		100		VATION:	_	
	,	N D	,,	ındwater Enc		. 1	ft.	2 ft.	3 ft.	
		WE		C WATER L			. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	05/02/1996	
1	NW	NE	Pumj	p test data:	Well w	vater was	ft. s	after hours pum	ping gpm	
ما		Est.	Yield	gpm:	Well v	vater was	ft.	after hours pum	ping gpm	
1 Mile	,	E Bore	Hole Diame	ter 12	in.	to 100	ft.	and in.	to ft.	
-		WEI	LL WATER	TO BE USED	AS: 5	Public wate	r supply 5	8 Air conditioning 11 I	nj e ction well	
١.			1 Domestic	3 Feed	llot	6 Oil field wa	ter supply	9 Dewatering 12 C	Other (Specify below)	
			2 Irrigation	4 Indu	strial '	7 Lawn and g	garden only 1	0 Monitoring well		
↓			a chemical/l	bacteriologica	ıl sample sui	bmitted to De	epartment? Yes	No 🗶 ; If yes, m	o/day/yr sample was	
		S sub	mitted				Wate	er Well Disinfected? Yes	X No	
5 TY	PE OF CA	SING USED:		5 Wro	ought iron	8	Concrete tile	CASING JOINTS: G	lued X Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded										
2 PVC 4 ABS 7 Fiberglass SDR-26 Threaded										
Blank casing Diameter 5 in. to 50 ft., Dia in. to ft., Dia in. to ft.										
I	•	ve land surface 12		in.,	weight 2			Wall thickness or gauge No.	.214	
	•	N OR PERFORATION		•	weight 2		PVC	10 Asbestos-ceme		
1 Ste	el	3 Stainless Steel		5 Fiber	glass	8	RMP (SR)	11 other (specify)	
2 Bra	88	4 Galvanized steel		6 Conc	rete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes										
2 Louve	red shutte		sd.			••		10 Other (specify)		
CORPER MEDICAL TRANSPORTATION INTERPRETATION OF THE PROPERTY O										
SCREE	N-FERFO	RATION INTERVALS		50	ft.		ft., From	ft. to	ft.	
	CDATE	OF DACH INTERNALIO	from	24	ft.		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24					ft. to 100 ft. to		ft., From		ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Crout Intervals: From A										
What is the nearest source of possible contamination: The first of th										
1 Septic tank 4 Lateral line				7	7 Pit privy		11 Fuel sto	- 17/1		
_					8 Sewage lagoon		12 Fertiliz	130	15 Oil well/Gas well	
	2 Sewer lines 5 Cess pool				• •			444	Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									Apparent	
Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS										
FROM	TO		OLOGIC L	OG.		FROM	ТО	PLUGGING INTER	(VALS	
0	<u> </u>	topsoil								
<u>-</u>	50	rock					1			
50	100	shale				 	+ +			
						_	+ +			
						1		· ·		
					~					
	 					 	+ +			
						 	+ +			
					*****	1		1111		
				11						
		7504								
					1			4 1411111111111111111111111111111111111		
						_				
						1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)										
Well Contractor's License No236 This Water Well Record was completed on (mo/day/yr)										
Under	Under the business name ofHarpKell&PumpServiceInc by (signature)									
Jane Frederick										