	WATE	ER WELL RECC	ORD For	m WWC-	5 KSA 82	!a-1212			
1 LOCATION OF WATER WELL:	Fraction				tion Number		Number	Range	Number
County: Cowley	SW 1/4	SE ¼	$\mathbf{SW}$	1/4	21	T 32	S	R 4	_ <b>(E)</b> W
Distance and direction from nearest to	own or city street	address of well	if located v	vithin city	?				-
175' E. and 100' S. of 4th and									
2 WATER WELL OWNER: Winfie	d Farmers Un	ion Coop							
RR#, St. Address, Box# : P.O. Bo		<b>-</b>				Board of Agr	iculture, Divi	ision of Wate	r Resources
•	ld, Kansas 671	156				Application N			
3 LOCATE WELL'S LOCATION			11	18	f FIF\	VATION:		122.96	
─ WITH AN "X" IN SECTION BOX:						2			
T N						surface measured			
<b>1</b>	1					after	•	•	
NW NE	,					after	-		
						and			
M E	WELL WATER					8 Air condition		Injection wel	
-	ł						-	-	
I sw se	1 Domestic					9 Dewatering		Other (Spec	•
	2 Irrigation	4 INGUSTIS	al / Lav	wn and ga	Poportmon	10 Monitoring w		moldovlyr	
<b>♦</b>   X	submitted	v bacter lological	sample su	Dillinea io		ater Well Disinfe			o 🗸
S	Submitted	- 11/ 1/ ·		0.0					
5 TYPE OF BLANK CASING USED:		5 Wrought iro		8 Concr					amped
1 Steel 3 RMP (S	•	6 Asbestos-Ce			(specify bek	•	vvek		
2)PVC 4 ABS		7 Fiberglass					inre	aded. 🗸	
Blank casing diameter									
Casing height above land surface		in., weight							.h40
TYPE OF SCREEN OR PERFORATION				(7) PV			sbestos-cem		
1 Steel 3 Stainles		5 Fiberglass			P (SR)			•	
	zed steel	6 Concrete tile		9 ABS			one used (o <sub>l</sub>		
SCREEN OR PERFORATION OPENIN			Gauzed w			8 Saw cut		11 None (	open hole)
<b>\</b> /	∕lill slot		Wire wrap	-		9 Drilled holes			
	Key punched		Torch cut			10 Other (spec	• ,		
SCREEN-PERFORATED INTERVALS						rom			
						rom			
GRAVEL PACK INTERVALS						rom			
						rom			
- 1		2 Cement grout				Other			
Grout Intervals: From		ft., From	<b>. 4</b>	ft.					
What is the nearest source of possible	e contamination:				10 Live:	stock pens	14 A	bandoned w	ater well
1 Septic tank 4 Late	ral lines	7 Pit pri	ivy		11 Fuel	l storage	15 C	Dil well/Gas w	ell
2 Sewer lines 5 Ces	s pool	8 Sewa	ge lagoon		12 Fert	ilizer storage	(16) (	Other (specify	beiow)
3 Watertight sewer lines 6 See	page pit	9 Feedy	/ard			ecticide storage	Ų.	ST Basin	
Direction from well? SE					How ma	iny feet? 150			
FROM TO	LITHOLOGIC	LOG		FROM	10	· · · · · · · · · · · · · · · · · · ·	PLUGGING I	NIERVALS	
0 1 Sand and Gr	avel,								
1 7 Clay, Brown									
7 13 Clay, Red Br	own to Red								
13 18 Clay, Red to	Red Brown								
								· , ,	

FROM	rom well?	SE LITHOLOGIC LOG	FROM	10	many feet? 150 PLUGGING INTERVALS
					P EOOGING INTERVALS
0		Sand and Gravel,			
1	7	Clay, Brown			
7	13	Clay, Red Brown to Red			
13	18	Clay, Red to Red Brown			
	<del> </del>				MW7, Tag # 131324, Flushmount
					Project Name: Winfield Coop - Iron
	···········				GeoCore # 145 , U2 018 1355 #
CONTRA	ACTOR'S	OR LANDOWNER'S CERTIFICATION: This water we	li was (1) construc	ted. (2) i	