WATEI	R WELL	RECORD	Form	WWC-5	Div	sion of Water	Resources: App. N	io.		
1 LOCA	TION OF	WATER WELL:	Fraction			Section Num	ber Township	Number	Range Number	
County		Cowley n from nearest town	SE 54	NE ta	SW la	28	т 32	S	R 4 E	
Distance a	and directio	n from nearest town	or city street	address of	well if G	lobal Position	oning System (de	cimal degr	ees. min. of 4 digits)	
located within city? 1318 Main St. Winfield, KS  Latitude: N 37.23545°										
Longitude: W 96.99691°										
2 WATER WELL OWNER: QuikTrip Corporation Elevation: RIM: 1126.76 TOC: 1126.44										
RR#, St. Address, Box # : 4705 S. 129 <sup>th</sup> E Ave. Datum: above mean sea level										
RR#, St. Address, Box # : 4705 S. 129 E Ave.  City. State, ZIP Code : Tulsa, OK 74134-7008  Datum: above mean sea level  Data Collection Method: legal survey  LOCATE WELL'S   4 DEPTH OF COMPLETED WELL 25 ft.										
5 EOCATE WEELS 4 DEI III OF COMMELLED WEEL 25										
LOCATON MW1										
WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.										
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 16.04 ft. below land surface measured on mo/day/yr 10/7/09										
N Pump test data: Well water was ft. after hours pumping gpm										
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
NW—NE—WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
U Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10)Monitoring well										
- sw-X se										
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
	S	Sample was sul	omitted			Wat	ter Well Disinfect	ed? Yes	No X	
S Sample was submitted Water Well Disinfected? Yes No X  5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
5 TIPE	OF CASI		A -bt - C	)II	0 Collete	e the	CVPILACIOIAL	o. Giucu .	Ciampeu	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 10 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.										
Blank casing diameter 2 in to 10 ft., Dia in to ft., Dia in to ft.										
Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)										
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
2 Louvered shutter *Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft. From ft. to ft.										
From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 8 ft. to 25 ft. From ft. to ft.										
GR	GRAVEL PACK INTERVALS: From 8 ft. to 25 ft. From ft. to ft.									
			From		ft. to	f	t. From	ft. to	ft.	
From ft. to ft. From ft. to ft.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2 ft.										
Grout Intervals From 2 ft. to 8 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction from well? E How many feet? ~20										
FROM	TO	LITHO	LOGIC LOG		FROM	TO	PLUGGI	NG INTE	RVALS	
0	1	Concrete	20010 100		1 10171	10	1 DO GGI.			
1	4	Silty clay, dark gray br	own moderate	nlasticity		1				
	-	moist	on in moderate	prasticity,						
4	13	Silty clay, red brown, n	nottled It. grav	low to						
-	15	moderate plasticity, mo		, 10 11 10	-	<del>  </del>				
13	25	Silty clay, olive brown,		te plasticity	-					
		moist to wet at 15 ft.	moutia	practicity						
25		Auger refusal on Limes	stone							
		i ciusui on Dinica				F	lushmount waive	r from R	ow	
								- 1. Jiii D		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 10/5/09 and this record is true to the best of my knowledge and belief.										
		tractor's License No.					peted on (molday/			
under the b	usiness name	of Larsen & Asso		_	by (signati	1	1	,, <u></u>		
INSTRUCT	IONS Please	fill in blanks or circle th	e correct answe	rs Send ton	hree conies to	Kansas Denar	thent of Health and E	nvironment	Rureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										

KSA 82a-1212

white