Form WWC-5 KSA 82a-1212 Range Number 1] LOCATION OF WATER WELL: Fraction Section Number Township Number Т County: Cowley SE 1/4 NW 1/4 NE 1/4 32 R Distance and direction from nearest town or city street address of well if located within city? 1902 E. 9th - Winfield, KS 2 WATER WELL OWNER: Wilson's Quik Mart RR#, St. Address, Box# : 1705 Manor Board of Agriculture, Division of Water Resources Application Number: City, State, ZIP Code : Winfield, Kansas 67156 3 LOCATE WELL'S LOCATION 4 DEPTH OF COMPLETED WELL 13 ft ELEVATION: 1178.6 WITH AN "X" IN SECTION BOX: Ν WELL'S STATIC WATER LEVEL 7.88.... ft. below land surface measured on mo/day/yr 7/1/98...... XNF NW W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 1 Domestic 3 Feedlot 9 Dewatering 12 Other (Specify below) SW SE 7 Lawn and garden only 10 Monitoring well 2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department Yes.......No........; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes CASING JOINTS: Glued Clamped TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded. 4 ABS 7 Fiberglass 7)PVC TYPE OF SCREEN OR PERFORATION MATERIAL 10 Asbestos-cement 8 RMP (SR) 1 Steel 5 Fiberglass 3 Stainless steel 9 ABS 2 Brass 4 Galvanized steel 6 Concrete tile 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 7 Torch cut 2 Louvered shutter Key punched SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: (2)Cement grout 3 Bentonite 6 GROUT MATERIAL: 1 Neat cement ... ft., From 2... Grout Intervals: From 0 ft. to 2 ... ft. to 2.5..... ft., From ft. to ft What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage UST Basin How many feet? 70 Direction from well? Northeast FROM TO LITHOLOGIC LOG FROM PLUGGING INTERVALS 0 0.25 Concrete, 0.25 Clay, Dark Brown 2 2 Clay, Medium Gray Clay, Very Dark Brown 5.5 10 10 17 Clay, Medium Green 17 20 Shale, × MW1, Tag # 00116776, Flushmount Project Name: Wilson's Quik Mart, Inc. GeoCore # 136, KDHE # U2 018 684 under the business name of by (signature) GeoCore Services, Inc.