LOCATION OF WATER WELL:	Resource
Distance and direction from nearest town or city street address of well if located within city?  WATER WELL OWNER: R.L. Baker  RR#, St. Address, Box # : 53 West Bourough Rd. Board of Agriculture, Division of Water FCity, State, ZIP Code : Wellington, KS 67152 Application Number:  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1 /3' ft. 2 ft. 3.  WELL'S STATIC WATER LEVEL (2.67 ft. below land surface measured on mo/day/y 4-14-98  Pump test data: Well water was ft. after hours pumping  Est. Yield gpm: Well water was ft. after hours pumping  Bore Hole Diameter 3/2 in. to 20 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  Welled	Resourceftgpmgpmgt.
WATER WELL OWNER: R. L. Baker  RR#, St. Address, Box # : 53 West Bourough Rd.  Dity, State, ZIP Code : Wellington, KS 67152	gpm gpm ft.
Board of Agriculture, Division of Water & Application Number:    City, State, ZIP Code   Wellington, KS 67152   Application Number:	gpm gpm ft.
Application Number:  LOCATE WELL'S LOCATION WITH A DEPTH OF COMPLETED WELL. 20' ft. ELEVATION:  Depth(s) Groundwater Encountered 1 3' ft. 2 ft. 3.  WELL'S STATIC WATER LEVEL 12.07 ft. below land surface measured on mo/day/yr 4-14-98.  Pump test data: Well water was ft. after hours pumping.  Est. Yield gpm: Well water was ft. after hours pumping.  Bore Hole Diameter 8/2 in to 20' ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No. 20' Strong well  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Water well Disinfected? Yes	gpm gpm ft.
City, State, ZIP Code  Well's LOCATION WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1. 13'. ft. 2. ft. 3.  WELL'S STATIC WATER LEVEL 12.67. ft. below land surface measured on mo/day/yr 4-14-98.  Pump test data: Well water was ft. after hours pumping  Est. Yield gpm: Well water was ft. after hours pumping  Bore Hole Diameter 8'/2 in to 20' ft., and in to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No. 20' in the supply 9 Dewatering 12 Other (Specify beld) 1 Domestic 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Water weld Disinfected? Yes 10 Other (Specify below)	gpm gpm ft.
Depth(s) Groundwater Encountered 1. 13'	gpm gpm ft.
WELL'S STATIC WATER LEVEL 12.67. ft. below land surface measured on mo/day/yr 4-14-98.  Pump test data: Well water was ft. after hours pumping  Est. Yield gpm: Well water was ft. after hours pumping  Bore Hole Diameter 3/2 in. to 20 ft., and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld)  2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 15 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Welded Welded Welded Clamped	gpm gpm ft.
Pump test data: Well water was ft. after hours pumping  Est. Yield gpm: Well water was ft. after hours pumping  Bore Hole Diameter %/2 in. to 20  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld)  2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes	gpm gpm ft.
Est. Yield gpm: Well water was ft. after hours pumping in. to Well water supply in. to well water supply ft., and in. to well water Supply st. conditioning in. to well be used to st. conditioning in. to well in. to well and in. to well well in. to well in. to well well in. to well well well in. to well	gpm ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel  2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes	ow)
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes	
Was a chemical/bacteriological sample submitted to Department? Yes	
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	was suit
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	was sui
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
1 Steel 3 HMP (SH) 6 Asbestos-Cement 9 Otner (specify below) Weided	
In pyol 4 ADC 7 Fiberaless	
2 PVC 4 ABS 7 Fiberglass Threaded. SDR 1 Blank casing diameter 2.37.5 in. to 10 ft., Dia in. to 10 in.	3
Blank casing diameter 3:3:15 in. to 10 ft., Dia in. to	N.
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open I	nole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	,
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From	ft
GRAVEL PACK INTERVALS: From	
From ft. to ft., From ft. to	ft
GROUT MATERIAL: 1 Neat cement	
Grout Intervals: From	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage Fourier 15 Oil well/Gas well	<b></b>
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below	w)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? East South East How many feet? 175'	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 4 Grass-Black organic rich	
clay, moist no odor, med	
plasticity	
4 13 Grayish Brn clay, oxide	
staining, no odor, firm, moist	and the same of the same of the same of
10   00   - 1	
13   20   Tan clayey sand to sand, wet	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx.	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med	MARCO 8 779 (11 7 7 10 7 10 A)
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx.	3003 A 77 E 75 · 67 A
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx.	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel	
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel  F.M. OKÁ by DonTaylon	
20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) Constructed (2) reconstructed, or (3) plugged under my jurisdiction	and was
20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and this record is true to the best of my knowledge and belie	and was
13 20 Tan clayey sand to sand, wet no odor, soft, fine-med grained few pebbles of Ls.Rx qtz. gravel  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction	and was