

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>COWLEY</u>		<u>SW 1/4 SW 1/4 SE 1/4</u>	<u>19</u>	<u>T 32 S</u>	<u>R 4 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>WITHIN STROTHER FIELD IND PARK</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources		Application Number:	
RR#, St. Address, Box # : <u>Box 747</u>		<u>RI-3</u>			
City, State, ZIP Code : <u>WINFIELD KS</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>45</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>23</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was <u>45</u> ft. after hours pumping gpm			
		Bore Hole Diameter <u>8</u> in. to <u>4.5</u> ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 <u>Monitoring well</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No..... <input checked="" type="checkbox"/> If yes, mo/day/yr sample was sub- mitted			
5 TYPE OF BLANK CASING USED:		5 Wrought iron		8 Concrete tile	
1 Steel		3 RMP (SR)		6 Asbestos-Cement	
<u>2 PVC</u>		4 ABS		7 Fiberglass	
Blank casing diameter <u>2</u> in. to <u>35</u> ft., Dia		Casing height above land surface <u>24</u> in., weight		lbs./ft. Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u>		10 Asbestos-cement	
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		8 Saw cut	
1 Continuous slot		6 Wire wrapped		9 Drilled holes	
2 Louvered shutter		7 Torch cut		10 Other (specify)	
3 <u>Mill slot</u>		4 Key punched		11 None (open hole)	
SCREEN-PERFORATED INTERVALS:		From <u>19</u> ft. to <u>45</u> ft.		From ft. to ft.	
GRAVEL PACK INTERVALS:		From <u>17</u> ft. to <u>45</u> ft.		From ft. to ft.	
6 GROUT MATERIAL:		1 Neat cement		2 Cement grout	
Grout Intervals: From <u>0</u> ft. to <u>17</u> ft.		3 <u>Bentonite</u>		4 Other	
What is the nearest source of possible contamination:		10 Livestock pens		14 Abandoned water well	
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
Direction from well? <u>WITHIN</u>		How many feet? <u>PLANT WITHIN</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>20</u>	<u>Silty Clay</u>			
<u>20</u>	<u>22</u>	<u>Sandy Clay</u>			
<u>22</u>	<u>45</u>	<u>Silty Sand</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9/15/91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>102</u> This Water Well Record was completed on (mo/day/yr) <u>10/11/91</u> under the business name of <u>Layne Western Co</u> by (signature) <u>[Signature]</u>					