


LOCATION OF WATER WELL: Fraction NW 1/4 SE 1/4 SW 1/4 Section Number 21 Township Number T 32 S Range Number R 4 **(EW)**

County: Cowley  
 Distance and direction from nearest town or city street address of well if located within city?  
 125 Welfet Drive, Winfield, Ks. 67156 MW5ss

WATER WELL OWNER: Farmers Union Coop  
 R#, St. Address, Box #: P.O. Box 536 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Winfield, Ks. 67156 Application Number:

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

DEPTH OF COMPLETED WELL: 19.6 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. .16 ft. 2. . ft. 3. . ft.  
 WELL'S STATIC WATER LEVEL .15.22 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was . ft. after . hours pumping . gpm  
 Est. Yield . gpm: Well water was . ft. after . hours pumping . gpm  
 Bore Hole Diameter . 7 5/8 in. to . 19.6 ft., and . in. to . ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only **(10)** Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes . No **(X)** . If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes . No **(X)**



TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . Clamped .  
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded .  
**(2)** PVC 4 ABS 7 Fiberglass Threaded **(X)**  
 Blank casing diameter . 2 in. to . 9.6 ft., Dia . in. to . ft., Dia . in. to . ft.  
 Casing height above land surface . 30 in., weight . lbs./ft. Wall thickness or gauge No. Sch. 40

TYPE OF SCREEN OR PERFORATION MATERIAL: **(7)** PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) .  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot **(3)** Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) .

SCREEN-PERFORATED INTERVALS: From . 9.6 ft. to . 19.6 ft., From . ft. to . ft.  
 GRAVEL PACK INTERVALS: From . 7 ft. to . 19.6 ft., From . ft. to . ft.

GROUT MATERIAL: 1 Neat cement **(2)** Cement grout **(3)** Bentonite 4 Other .  
 Grout Intervals: From . 0 ft. to . 1 ft., From . 1 ft. to . 7 ft., From . ft. to . ft.

What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy **(11)** Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below)

Direction from well? South How many feet? 185

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8	Silty clay, black			
8	15	Sandy clay, brown			Site ID # 00093941
15	19.6	Clay, reddish brown			Above ground cover

CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08-20-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 10-10-92 under the business name of GeoCore Services, Inc. by (signature) Douglas Roy