.1			ELL RECORD	Form WWC-5				•
1 LOCATION OF WA	TER WELL:	Fraction	ATP		tion Number	Township		Range Number
County: Cowley		NW 1/4	NE 1/4	NW _{1/4} 28)	T 32	S	I R 4 EW
Distance and direction		•		uea within city?				_
	reet, Winfield,		I-TACATA					
WATER WELL OV		s Union Coop				Poord of	Agricultura I	Division of Water Resources
RR#, St. Address, Bo		dd, Ks. 67156					n Number:	DIVISION OF WAREL RESOURCES
City, State, ZIP Code			NETED WELL	20	# FIEVA			
AN "X" IN SECTIO								
- L/	· ·							
j K							= =	mping gpm
NW	NE E						•	mping gpm
.								to
* w	i I w	ELL WATER TO B	E USED AS:	5 Public water	r supply	8 Air conditionin	g 11	Injection well
- 1		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
sw	SE	2 Irrigation	4 Industrial	7 Lawn and	arden only	10 Monitoring we	إ	
	l i w	as a chemical/bacte	riological sample	e submitted to D	epartment? Y	esNo>	; If yes,	mo/day/yr sample was sub-
	ş m	itted	s		Wa	ter Well Disinfec	ted? Yes	No X
TYPE OF BLANK	CASING USED:	5 V	Vrought iron	8 Concre	ete tile	CASING J	DINTS: Glued	iClamped
1 Steel	3 RMP (SR)		Asbestos-Cemer	nt 9 Other	(specify below	w)		ed
(2) PVC	4 ABS		iberglass					nded. 🔀
								in. to ft.
			weight					o. Sch. 40
TYPE OF SCREEN C				(7)°V			sbestos-ceme	
1 Steel	3 Stainless st		iberglass	8 RM				6-1 V
2 Brass	4 Galvanized		Concrete tile	9 AB	S		one used (op	
	RATION OPENINGS			uzed wrapped		8 Saw cut		11 None (open hole)
1 Continuous sle				e wrapped		9 Drilled holes		
2 Louvered shut		punched		ch cut 20	4 5			o
SCREEN-PERFORAT	ED INTERVALS:	From	π. τ ο			m	п 1	ο
		F						
GRAVEL DA	ACK INITEDIVALS:		ft. to		ft., Fro	m	ft. t	o
GRAVEL PA	ACK INTERVALS:	From 8	ft. to	20	ft., Fro ft., Fro	m	ft. to	o
.		From	ft. to ft. to ft. to	20	ft., Fro ft., Fro ft Fro	m	ft. to	o
GROUT MATERIA	L: 1 Neat cen	From	ft. to ft. to ft. to	20 3 Bento	ft., Fro ft., Fro ft., Fro nite 4	m	ft. to	o
GROUT MATERIA Grout Intervals: Fro	L: 1 Neat cen	From 8 From 1 2 Co	ft. to ft. to ft. to	20 3 Bento	ft., Froft., Fro ft., Fro nite 8 to	m	ft. to	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s	L: 1 Neat cen	From 8 From nent 1 to 1	ft. to ft. to ft. to	20 3 Bento	ft., Fro	mm m Other tt., From .	ft. t	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s	L: 1 Neat cen	From 8 From 1 2 Control 1 1 Control	ft. to ft. to ft. to ft. to ement grout ft., From	20 1 3 Bento	ft., Froft., Fro ft., Fro nite 8 to	m	ft. t. ft. f	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	L: 1 Neat cen om	From 8 From 2200 nent 12000 notamination:	ft. to ft. to ft. to ft. to ement grout ft., From	20 1 3 Bento	ft., Froft., Fro ft., Fro nite 4 to	m	ft. to ft	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po	From 8 From 2200 nent 12000 notamination:	ft. to ft. to ft. to ft. to ft., From ft., From 7 Pit privy 8 Sewage la	20 1 3 Bento	ft., Froft., Fro ft., Fro nite 4 to	m	14 A 15 O 16 O	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast	From 8 From 2200 nent 12000 notamination:	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	m	ft. to ft	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast Clay, black	From	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 A 15 O 16 O 250	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepage Northeast Clay, black Clay, reddis	From	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the fit
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Northeast Clay, black Clay, reddis	From 8 From nent 2 Continuent 1 to 1 ntamination: lines pol e pit LITHOLOGIC LOG n brown Light brown	ft. to ft. to ft. to ft. to ft. to ft., From 7 Pit privy 8 Sewage la 9 Feedyard	20 1 ft.	ft., Fro ft., Fro ft., Fro ft., Fro nite 4 to	m	14 Al 15 O 16 O 250 PLUGGING II	of the state of th
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14 14 20	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast Clay, black Clay, reddisl Sandy clay, Gravelly clay	From	ft. to ft. to ft. to ft. to ement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	1 3Bento ft.	10 Lives 11 Fuel 12 Fertil 13 Insect How ma	m	14 Al 15 O 16 O 250 PLUGGING II	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14 14 20 TO CONTRACTOR'S	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast Clay, black Clay, reddisi Sandy clay, Gravelly clay OR LANDOWNER'S	From	this water well	20 1 3Bento 1 ft. agoon FROM was (1) constru	tt., Fro ft., F	m	14 Al 15 O 16 O 250 PLUGGING II 00093897 Cover	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14 14 20 CONTRACTOR'S completed on (mo/day	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast Clay, black Clay, reddisl Sandy clay, Gravelly clay OR LANDOWNER'S	From	ft. to ft. to ft. to ft. to ement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard This water well	20 1 3Bento ft. agoon FROM was(1)constru	tt., Fro ft., F	m	ft. to ft	o
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 3 3 10 10 14 14 20 TO CONTRACTOR'S	L: 1 Neat cen om. 0 ft. ource of possible co 4 Lateral 5 Cess power lines 6 Seepag Northeast Clay, black Clay, reddisi Sandy clay, Gravelly clay OR LANDOWNER'S //year) 08-15	From	This water well	20 1 3Bento ft. agoon FROM was(1)constru	tt., Fro ft., F	onstructed, or (3) ord is true to the to	ft. to ft	o