			WATER V	VELL RECORD	Form WV	VC-5 KSA	82a-1212			
		TER WELL:	Fraction		,	Section Num		Number	Range Number	
	COWL		NE 1/4		1W 1/4		т З	Z _s	R 4 (E	W
		from nearest town					TH	, 1		
14	SOUT	H & 68'	WEST OF	= CORNER	US	77 ¢	19 TH.	UINFIL	51D, KS	
		NER: WINFIE								
		(#:1817 /		C (17)			Board (of Agriculture F	Division of Water Reso	urcos
				10 4 5 7 -	,,			•	NVISION OF WATER RESC	Juices
City, State,		: WINFI	e^{AD} , AAA	SAS 6/	75 2		Applica			
LOCATE	N SECTION					_				
AN A 11		1 De								
ī [İX	ı w	ELL'S STATIC W	ATER LEVEL 🖊	214	ft. below land	surface measured	on mo/day/yr		
	1		Pump te	st data: Well wa	ter was	1	ft. after	hours pur	mping	gpm
-"	- NW	Es	st. Yield	. gpm: Well wa	ter was		ft. after	hours pur	mping	gpm
.	- i -	Bo	re Hole Diameter	8 in. to		<i>3</i>	ft., and	in.	to	ft.
₹ W 	1	- F	ELL WATER TO			water supply	8 Air condition		njection well	
-	1	i ["	1 Domestic	3 Feedlot				J	Other (Specify below)	
	- SW	SE	2 Irrigation	4 Industrial					· · · · · · · · · · · · · · · · · · ·	
	!	!	•			-			mo/day/yr sample was	
				teriological sample	Submitted	o Department		-		s Sub-
			tted				Water Well Disinfe		No .	\dashv
TYPE OF	F BLANK C	CASING USED:		Wrought iron		oncrete tile	CASING	JOINTS: Glued	Clamped	• • •
1 Stee		3 RMP (SR)	6	Asbestos-Cement		her (specify b			<u>ed</u>	
2 PVC		4 ABS		Fiberglass					<u>ded</u>)	
Blank casing	g diameter	in.	to	ft., Dia	ir	ı. to	ft., Dia	i	n. to	ft.
Casing heig	ht above la	and surface	.6 in.	, weight			bs./ft. Wall thickne	ss or gauge No	1 .O	
TYPE OF S	CREEN O	R PERFORATION N	MATERIAL:	-	(7	PVC	10 /	Asbestos-ceme	nt	
1 Stee	el	3 Stainless st	eel 5	Fiberglass	8	RMP (SR)				
2 Bras		4 Galvanized		Concrete tile		ABS		None used (ope		
		RATION OPENINGS			zed wrappe		8 Saw cut	tone asea (opt	11 None (open hole)	,
						·u			Tri None (open noie)	' l
	ntinuous slo				wrapped		9 Drilled hole			
	vered shutt		punched	7 Tord					• • • • • • • • • • • • • • • • • • • •	
SCREEN-P	ERFORATE	ED INTERVALS:	-)	
)	
GF	RAVEL PA	CK INTERVALS:	From	ft. to .	2.		From	ft. to) [']	ft.
			From	ft. to		ft.,	From	ft. to)	ft.
GROUT	MATERIAL	: 1 Neat cem	nent 2	ement grout	(SB	entonite	4 Other			
Grout Interv	als: From	n <i>O</i> ft.	to /. /	. ft., From		n. to	ft., From	.	. ft. to	ft.
What is the	nearest so	urce of possible cor	ntamination:				vestock pens		andoned water well	
1 Sept	tic tank	4 Lateral I	ines	7 Pit privy			uel storage	15 Oi	well/Gas well	
	ver lines	5 Cess po	ol	8 Sewage la	goon	_	ertilizer storage		her (specify below)	
		er lines 6 Seepage		9 Feedyard	•		secticide storage		(opoon) bolon)	
Direction fro	-	NORTHE		o i ccayara				00		
FROM	TO		LITHOLOGIC LO	3	FRO		many feet?	PLUGGING IN	ITERVALS	
	15	SILTY CLAS				- 10				
0	10	CANNICA	U BEN	FUND	-					
15	18	SANDY CLA CLAYEY S	r, KEIZ	1106	_					
18	ZI	CAYET	HND, GK	+Y, 1-1106						
Z_l	23	SHALE, 6	RAY, STIF	F. SILTY	<u> </u>					
		DR I ANDOWNED'S	CERTIFICATION	This water well s	Nas (15 000	structed (2)	reconstructed or /	8) plugged upd	er my jurisdiction and	was
CONTRA					was LINCOL	3000(B0.7(2)	econstructed, or G	o, piugged und	er my jurisaiction and	W-1
CONTRA	ACTOR'S		109	. This water went	_					
ompleted o	on (mo/day/	year) ! / . / . / . ! . j	129 514			. and this r	ecord is true to the	best of my kno	wledge and belief. Ka	
completed o	on (mo/day/ Contractor	year)	129524	This Water \		and this r	ecord is true to the ed on (mo/day/yr)	best of my kno		
completed of Vater Well of Inder the bi	on (mo/day/ Contractor' jusiness na	year)	LABORA	This Water V	Well Record	and this r I was complet by (si	ecord is true to the ed on (mo/day/yr) gnature)	best of my kno	wledge and belief. Ka	
ompleted of vater Well of nder the bustrace	on (mo/day/ Contractor) susiness nar CTIONS: Use to	year)	LABORA PLEASE PRESS FIRM	TORIES LY and PRINT clearly. F	Well Record	and this r was complet by (si	ecord is true to the ed on (mo/day/yr) gnature) circle the correct answers	best of my kno	wledge and belief. Ka	