	WATER WELL	RECORD F	orm WV	VC-5 F	KSA 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION		SEC	TION NUMBE	R TOWNSHIP	NUMBER	RANGE NU	/BER
Cowley	SW 1/4 SV	V 1/4 NE	1/4	18	T 32	2 s	R 5E	E/W
Distance and direction from nearest town or cit	ty street address of well if loca	ted within city?						
S.E. corner of Creek Timb					· 77 V	Vinfield, K	ansas	
2 WATER WELL OWNER: KA	NSAS DEPARTM	ENT OF TRAN	SPORT	ATION				_
RR#,ST. ADDRESS,BOX #:						Board of Agri	culture, Division of Wa	ter Resource
CITY, STATE: Wir	nfield, Kansas		ZI	P CODE:		Application Num	ber:	
3 LOCATE WELL'S LOCATION 4	DEPTH OF COMPANY	WELL: 4	7 ft.		ELEVATION:			- <u>-</u> -
WITH AN "X" IN SECTION BOX:	epth of groundwater Enco	ountered:	ft.			ft.		ft.
1	VELL'S STATIC WATER	LEVEL 20	FT. BELO	W LAND S	URFACE MEASU	IRED ON mo/d	ay/yr: 6/9/1	5
NWNE	Pump tes	st data: Well wa			ft, after		of pumping @	gpm
	Est. Yield: g	pm Well wa	ter was		ft. after		of pumping @	gpm
w K	Bore Hole Diameter	in.	to	f	t. and	in.	to	ft.
	WELL WATER WASE US	ED AS:				9. Dewaterii	na 11. lnject	ion well
swse	1. Domestic 3. Feed	lot 5. Public wa	ter supply	7. Lawn	and garden only	0. 2011410111	12. Other (Spe	cify below
	2. Irrigation 4. Indus	strial 6. Oil field w	ater supply	8. Air co	nditioning		g well unknow	
s	Was a chemical/bacteriologic submitted	al sample submitted to I	Department?	YES	NO	_	vhat mo/day/yr wa YES NO	· ·
	Submitted				Water Well Disinf		-	
5 TYPE OF CASING USED: 1. Steel 3. RPM (S	5. Wrought Iron	7. Fiberglass	9. O	ther (Specif	y below) CAS	ING JOINTS:		Threaded
2. PVC 4. ABS	6. Asbestos-Cem	ent 8. Concrete t	le				Welded	Clamped
Blank casing diameter 36	in. to	ft., Dia.	in.	to	ft.,	Dia. i	n. to	4
		,			,			ft.
Casing height contact and surface:	in.,	Weight:	. 11	os./ft.	Wall thi	ckness or gaug	e No.	
TYPE OF SCREEN OR PERFORATION 1. Steel 3. Stainless Steel	ON MATERIAL: 5. Fiberglass	7. PVC	9. A	DC	11 OH	ner (specify)	J/A	
	6. Concrete Tile	8. RMP (SR)	-	-		ne used (open l		
		o. RIVIF (SK)	10. A	sbestos-Ce	ement 12. NO	ne usea (open	noie)	
SCREEN OR PERFORATION OPENIA					_			
1. Continuous slot 3. Mill s	slot 5. Gauze	d wrapped	7. To	rch cut	9. Dri lle	ed holes	11. None (op	en hole)
2. Louvered shutter 4. Key	punched 6. Wire v	vrapped	8. Sa	w cut	10. Othe	er (specify) $N/$	'A	
SCREEN - PERFORATION INTERVAL	. From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to	ı	ft.,	From	ft.		
							to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
	_	Cement Grout	3	B. Bentonite	e	Other bente	onite hole plug	Ş
Grout Intervals: From 3		ft., From	ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible of 1. Septic tank 4. Later.	7 Di4 -	rivy 1	0. Livestoc	k pens	13. Insection	cide storage	15. Oil well/Ga	s well
1. Septe talik 4. Europa International 11. Eur						16. Other (spe		
N/A							-	
3. Watertight sewer line 6. Seep Direction from well?	age pit 9. Feed	i yaru	z. Ferunzei	Storage	How mo	ny foot?		
From To	LITHOLOGIC LC	nG	From	То	How ma		CICIOC	
110111	ETTTOLOGIC LC		0	3	acomposted a	LITHOLO	GIC LOG	
			3	25	compacted of bentonite ho		· · · · · · · · · · · · · · · · · · ·	
			25	47	chlorinated			
								
			ļ					
			<u></u>	<u> </u>	<u> </u>			
			ļ	 				
			 	 				•
				· · · · · ·	 			
			<u> </u>		 			7716.7
						·		
7 Contractor's or Landowner's Certi	ification: This water well w	as 1. constructed	2 re	constructe	d or 3.	olugged u	ınder my jurisdictio	n and
was completed on (mo/day/year)	6/9/2015				knowledge and b		., ,	- -
					-			
Kansas Water Well Contractor's Licer			ell record wa	s completed	d on (mo/day/year		2015	
under the business name of Harp	W-11 1 D 0	orvino	by (sid	gnature)	Τ,	2.5.5	. Harp	
and of the business hame of Halp	wen and Pump So	ei vice	۵) (۵۰	J ,	1 ($\pi \lambda \lambda \lambda \lambda \lambda \lambda \lambda$. TT (AN I)	