

LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: <u>Cowley</u>		<u>SW 1/4 SE 1/4 SW 1/4</u>	<u>21</u>	<u>T 32 S</u>	<u>R 5E E/W</u>
Distance and direction from nearest town or city? <u>6 1/2 miles EAST of Winfield, Ks</u>			Street address of well if located within city?		
WATER WELL OWNER: <u>Royce moon</u>			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: <u>R.R. 4</u>			Application Number:		
City, State, ZIP Code: <u>Winfield, Ks. 67156</u>					
DEPTH OF COMPLETED WELL: <u>100</u> ft. Bore Hole Diameter: <u>10</u> in. to <u>100</u> ft., and in. to ft.					
Well Water to be used as:					
1 Domestic		3 Feedlot		5 Public water supply	
2 Irrigation		4 Industrial		6 Oil field water supply	
		7 Lawn and garden only		8 Air conditioning	
		10 Observation well		11 Injection well	
				12 Other (Specify below)	
Well's static water level: <u>60</u> ft. below land surface measured on <u>APRIL</u> month <u>10</u> day <u>1989</u> year					
Pump Test Data: Well water was ft. after hours pumping gpm					
Est. Yield <u>NA</u> gpm: Well water was ft. after hours pumping gpm					
4 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
				8 Concrete tile	
				9 Other (specify below)	
				Casing Joints: Glued <input checked="" type="checkbox"/> Clamped	
				Welded	
				Threaded	
Blank casing dia <u>6</u> in. to <u>100</u> ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface: <u>14</u> in., weight <u>160</u> lbs./ft. Wall thickness or gauge No <u>14</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel		5 Fiberglass	
2 Brass		4 Galvanized steel		6 Concrete tile	
				7 PVC	
				8 RMP (SR)	
				9 ABS	
				10 Asbestos-cement	
				11 Other (specify)	
				12 None used (open hole)	
Screen or Perforation Openings Are:					
1 Continuous slot		3 Mill slot		5 Gauzed wrapped	
2 Louvered shutter		4 Key punched		6 Wire wrapped	
				7 Torch cut	
				8 Saw cut	
				11 None (open hole)	
Screen-Perforation Dia <u>6</u> in. to ft., Dia in. to ft., Dia in. to ft.					
Screen-Perforated Intervals: From <u>100</u> ft. to <u>80</u> ft., From ft. to ft., From ft. to ft.					
Gravel Pack Intervals: From <u>100</u> ft. to <u>20</u> ft., From ft. to ft., From ft. to ft.					
5 GROUT MATERIAL:					
1 Neat cement		2 Cement grout		3 Bentonite	
4 Other					
Grouted Intervals: From <u>0</u> ft. to <u>20</u> ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool		7 Sewage lagoon	
2 Sewer lines		5 Seepage pit		8 Feed yard	
3 Lateral lines		6 Pit privy		9 Livestock pens	
				10 Fuel storage	
				11 Fertilizer storage	
				12 Insecticide storage	
				13 Watertight sewer lines	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well <u>West</u> How many feet <u>50</u> ? Water Well Disinfected? Yes <input checked="" type="checkbox"/> No					
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> If yes, date sample was submitted month day year					
If Yes: Pump Manufacturer's name <u>MYERS</u> Model No. <u>S2N52-NS10</u> HP <u>1/2</u> Volts <u>230</u>					
Depth of Pump Intake ft. Pumps Capacity rated at <u>109 gpm</u> gal./min.					
Type of pump: 1 <u>Submersible</u> 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>April</u> month <u>10th</u> day <u>1989</u> year					
and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. <u>299</u>					
This Water Well Record was completed on <u>APRIL</u> month <u>30</u> day <u>1989</u> year under the business name of <u>EASTMAN Drilling</u> by (signature) <u>Dale Eastman</u>					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG	
		0 17 Top Soil			
		18 29 Yellow Clay			
		30 34 Blue Schale			
		35 41 HARD Lime			
		41 82 Blue Schale			
		83 84 River Gravel			
		84 100 Blue Schale			
ELEVATION:					
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)					

OFFICE USE ONLY

T

R

EW

SEC

1/4

1/4

1/4