

W	_		RECORD	-	WWC-5 1363	D	ivision of V							
1	Original Record Correction Change in LOCATION OF WATER WELL: Fr								rces App. No. Well ID Well ID ON Number Township Number Range Nu					
I	County:							nder	T S	R	$\Box E \Box W$			
2		OWNER: I	ast Name:				ural Addr	ess wh	ere well is located					
-	Business:	0 11 1211				direction from nearest town or intersection): If at owner's address, check here:								
	Address: Address:													
	City:			State:	ZIP:									
3	LOCAT	E WELL												
						PLETED WELL: ft Encountered: 1) ft.			5 Latitude:					
	SECTIO				3) ft., or 4) $[$			Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27						
	N	N		WELL'S STATIC WATER LEVEL: ft.					<u>r Latitude/Longitude</u> :		AD 21			
	I	X		below land surface, measured on (mo-day-yr)				GPS	(unit make/model:	•••••				
	NW	NE		D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.					(WAAS enabled? Yes No)					
w		E	~	after hours pumping					□ Land Survey □ Topographic Map □ Online Mapper:					
**				Well water was ft.										
	SW	SE	after hours pumping gpm				6 FI	6 Elevation :ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map						
		с		Estimated Yield:gpm Bore Hole Diameter:in. to ft. and										
					in. to									
7	7 WELL WATER TO BE USED AS:													
	. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease													
				g: how many wells?										
	🗌 Lawn a			echarge: well ID										
	Livestock8. Monitoring: well IDIrrigation9. Environmental Remediation: well ID													
	Feedlo			Air Sparge		b	b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water							
4. Industrial Recovery Injection 13. Other (specify):														
	Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:													
Water well disinfected? Yes No														
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter ft., Diameter ft., Diameter ft., Diameter ft., Diameter														
Casing diameter in. to it., Diameter in. to it., Diameter in. to it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No														
	TYPE OF SCREEN OR PERFORATION MATERIAL:													
	□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)													
	□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)													
30	SCREEN OR PERFORATION OPENINGS ARE:													
	□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ Drifted Holes □ Other (Specify)													
SC	SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.													
	GRAVEL PACK INTERVALS: From													
					Cement grout Be									
			ft. to le contaminati		ft., From	ft. to	ft., Fr	om	ft. to	ft.				
	Septic '	-		Lateral Line	es 🗌 Pit Privy	[Livestocl	c Pens	☐ Insectici	ide Storage				
	Sewer l	Lines		Cess Pool	Sewage Lag	goon [Fuel Stor		Abando	ned Water V	Well			
					☐ Feedyard		Fertilizer	Storag	e 🗌 Oil Wel	l/Gas Well				
	Other (Specify) Direction from well? ft.													
	FROM	TO		ITHOLOG		FROM			THO. LOG (cont.) or	PLUGGIN	G INTERVALS			
						-								
								_						
						Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No														
under the business name of														
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.														
	-			KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										