	TES 14/5: :		ELL RECORD	Form W				
LOCATION BELVA	JER WELL:	Fraction 1/4	NE 1/4	NW 1/4	Section Number	er Township	Number 33 S	Range Number
	from nearest town of		s of well if loo		ty?			9
WATER WELL OV	VNER:			33 244				
R#, St. Address, Bo	Bar	Ctlett Coop- D. Box 67332	Mound Va Bartle	lley Att: ++ Ks	n: D. Lan 67332			Division of Water Resour
ty, State, ZIP Code	· · · · · · · · · · · · · · · · · · ·			- 10 -			on Number:	
AN "X" IN SECTIO		DEPTH OF COMP epth(s) Groundwater						
i X								5-8-97
NW	NE						•	mping
	Es							mpinggr to
w 		ore Hole Diameter. ELL WATER TO BI			π water supply	, and		njection well
ii		1 Domestic	3 Feedlot			Dewatering	_	Other (Specify below)
SW	SE	2 Irrigation	4 Industrial				ell	W-1
<u> i </u>	l Wa	as a chemical/bacte	riological samp	ple submitted	•			mo/day/yr sample was s
7/05 05 81 111/	*	tted				Vater Well Disinfed		No X
TYPE OF BLANK (3 RMP (SR)		Vrought iron Asbestos-Ceme		oncrete tile her (specify be			d
(A) nvo	4 ABC	7.5	iberglass		` '	· · · · · · · · · · · · · · ·		ded X
ank casing diameter	4 ABS	to 2:5			. to 	77ft., Dia		in. to
asing height above i	and surrace		weight			s./ft. Wall thicknes	s or gauge No)
	R PERFORATION N			_	PVC		sbestos-ceme	
1 Steel 2 Brass	3 Stainless st4 Galvanized		Fiberglass Concrete tile		RMP (SR) ABS		tner (specity) one used (op	
	RATION OPENINGS			auzed wrappe		8 Saw cut		11 None (open hole)
1 Continuous sk	A			/ire wrapped		9 Drilled hole		, , ,
2 Louvered shut	tter 4 Key i	punched		orch cut	•			
CREEN-PERFORAT	ED INTERVALS:	From	🗦 ft. te	~ /2/ C			f+ +/)
_		_						
SIND	ICK INTERVALS:	From 1	ft. to	o <u>.</u>		rom	ft. to) <u></u>
GHAVEL PA	ACK INTERVALS:		ft. to	。12,5		rom	ft. to) <u></u>
		From	ft. to	0 12,5	ft., F ft., F ft., F	rom	ft. to)
GROUT MATERIAL out Intervals: Fro	1 Neat cem	From From nent	ft. to	0 12,5	ft., F. ft., F. ft., F. entonite ft. to. // \$	rom rom rom 4 Other ft., From	ft. to	ft. to
GROUT MATERIAL out Intervals: From the nearest second is the nearest second in the neare	1 Neat cem	Fromnent	ft. to	. 12.5 . 5	ft., F ft., F ft., F entonite ft. to. // 10 Liv	rom rom rom 4 Other ft., From estock pens	ft. to ft. to	ft. to
GROUT MATERIAN out Intervals: Fro hat is the nearest so 1 Septic tank	1 Neat cerr m. O ft. ource of possible cor 4 Lateral li	Fromnent	ft. to ft.	. 12.5 . 5	ft., Fft., F entonite ft. to. // S 10 Liv	rom rom rom 4 Other ft., From estock pens el storage	ft. to ft	ft. to pandoned water well
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines	1 Neat cem	Fromnent	ft. to	0 12,5 0 38	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fur 12 Fer	rom rom rom 4 Other ft., From estock pens	ft. to ft	ft. to
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	1 Neat cerr m. 0 ft. ource of possible cor 4 Lateral li 5 Cess po	Fromnent	ft. to ft.	12,5	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n	rom from 4 Other 5 ft., From estock pens el storage tilizer storage ecticide storage many feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	1 Neat cerr 1 Neat cerr 1 Neat cerr 1 Neat cerr 1 Lateral li 2 Cess power lines 6 Seepage	Fromnent	ft. to ft.	0 12,5 0 38	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n	rom from 4 Other 5 ft., From estock pens el storage tilizer storage ecticide storage many feet?	ft. to ft	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	1 Neat cerr 1 Neat cerr 1 Neat cerr 1 Neat cerr 1 Lateral li 2 Cess power lines 6 Seepage	From	ft. to ft.	12,5	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n	rom from 4 Other 5 ft., From estock pens el storage tilizer storage ecticide storage many feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? ROM TO	1 Neat cerr ource of possible cor 4 Lateral li 5 Cess po ver lines 6 Seepage	From // 5 From	ft. to ft	12,5	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n	rom from 4 Other 5 ft., From estock pens el storage tilizer storage ecticide storage many feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: From the service tank 2 Sewer lines 3 Watertight severection from well? GL 1.00 GL 2.25	I Neat cerr O	From // 5 From	ft. to ft	12,5	ft., F ft., F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n	rom from 4 Other 5 ft., From estock pens el storage tilizer storage ecticide storage many feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL COURT Intervals: From the second from well? GL 1.00 GL 1.00 L.00 2.25 2.25 12.50	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	ft., F. ft., F. entonite ft. to. // S 10 Liv 11 Fur 12 Fer 13 Ins How n	rom rom d Other d Other till, From estock pens el storage tillizer storage ecticide storage eany feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: From the service tank 2 Sewer lines 3 Watertight severection from well? FROM TO GL 1.00 1.00 2.25 2.25 12.50	I Neat cerr O	From // 5 From	ft. to ft	12,5	ft. F ft. F entonite ft. to // S 10 Liv 11 Fu 12 Fe 13 Ins How n TO	rom rom d Other d Other till, From estock pens el storage tillizer storage ecticide storage eany feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL COURT Intervals: From the second is the nearest second in the second in	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO GL 1.00 CJ. 2.25 C.25 12.50	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	ft. F ft. F entonite ft. to // S 10 Liv 11 Fu 12 Fe 13 Ins How n TO	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO GL 1.0000 2.25 2.25 12.50	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO GL 1.00 1.00 2.25 2.25 12.50	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL COURT Intervals: From the second is the nearest second in the second in	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL OUT Intervals: From the service of t	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: From the service tank 2 Sewer lines 3 Watertight severection from well? FROM TO GL 1.00 1.00 2.25 2.25 12.50	In Neat cern Ource of possible cor 4 Lateral li 5 Cess po wer lines 6 Seepage Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	12,5	entonite ft. to ft. F entonite ft. to ft. F 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mot Waiver	rom rom A Other A Other This is to rage tillizer storage exticide storage any feet?	ft. to ft. to ft. to 14 Al 15 O 18 O Conf	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL Fout Intervals: From that is the nearest set of the second secon	Fill Soil, clay Clay w/som	From // 5 From	ft. to ft	lagoon d	entonite ft. fc. ft. F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mon Waiver D. Taylor	rom A Other A Other The fit, From estock pensel storage estilizer storage estilizer storage estilizer storage estilizer storage entry feet? Int 12/17/96	14 AI 15 O 10 O 11 DO 12 O 15 O 15 O 16 O 17 O 18	tt. to
GROUT MATERIAL out Intervals: From I Septic tank 2 Sewer lines 3 Watertight severection from well? GL 1.00 GL 1.00 1.00 2.25 2.25 12.50 2.50 TD	Fill Soil, clay Clay w/som	From	ft. to ft	lagoon d	entonite ft. fc. ft. F entonite ft. to. // S 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mon Waiver D. Taylor	rom A Other A Other The fit, From estock pensel storage estilizer storage estilizer storage estilizer storage estilizer storage entry feet? Int 12/17/96	14 AI 15 O 10 O 11 DO 12 O 15 O 15 O 16 O 17 O 18	tt. to pandoned water well I well/Gas well ther (specify below) Amiliakle Sile
GROUT MATERIAL out Intervals: From I Septic tank 2 Sewer lines 3 Watertight severection from well? GL 1.00 GL 1.00 1.00 2.25 2.25 12.50 2.50 TD	Fill Soil, clay Clay w/som End of bor	From // 5 From	ft. to ft	lagoon d FROI	ft. F ft. F entonite ft. to // S 10 Liv 11 Fu 12 Fe 13 Ins How n TO Flush Mon Waiver D. Taylor structed (2) re and this re	rom A Other A Other The fit, From estock pensel storage estilizer storage estilizer storage estilizer storage estilizer storage entry feet? Int 12/17/96	ft. to ft	off. to