				R WELL RECO	RD Form		KSA 82a-1				
	N OF WATE			CVA	0.5		on Number	Township Numb		Range Number	
County:			NE 1/4 own or city street ad			½	2	т 33	S I	R 18	E
Distance and	J direction iro	ili liealest	own or city street au	West 4 <sup>th</sup> S			ınsas				
2 WATER	WELL OWNE	R: Bart	lett Coop			<u> </u>					
			Box 67332					Board of Agricultu	re, Division	of Water Resourc	es
City State 7	7IP Code	Bart	lett. Ks 67332					Application Number	er:		
LOCATE	WELL'S LOC	CATON WI	TH .					47.01			
AN "X" IN	SECTION B	OX:	DEPTHOF					/ATION:			c
								. 2			
	N N							urface measured on m			F
1								t. afteri			
-	<del> </del>	NE	Poro Holo Diame	otor 8 625	In to	6 ····	г	t. after i	nours pump	ingG	<u>,                                    </u>
₩ W L		i	WELL WATER	O BE USED A	S: 5 Pub	lic water su	pply	ft. and 8 Air conditioning 9 Dewatering	11 Inje	ection well	Ft.
- v   -			1 Domestic	3 Feed lot	6 Oil t	field water s	upply	9 Dewatering	12 Oti	her (Specify below	N)
	sw	e =	2 Irrigation	4 Industrial	7 Law	n and gard	en (domestic	c) 10 Monitoring we	<u> </u>	MW-7	
	i	Ẍ	Was a chemical	/bacteriological	sample sub	omitted to D	epartment?	Yes No X	If yes, mo/o	day/yr sample wa	s
<u> </u>			Submitted				Wa	ter Well Disinfected?	Yes	No X	
	BLANK CAS	SING USE	D:	5 Wrought				CASING JOINTS	Glued	Clamped	
1 Ste	el	_	P (SR)	6 Asbestos	-Cement	9 Other (	specify belo	w)	Welded	<b></b>	
2 PV	С	4 AB	S	7 Fiberglas	s				Threaded	] x	
Blank cosins	n diameter	2	in. to <b>2</b>	Ft., Dia		In to	,	ft., Dia	in 4	0	ft
Casing boid	bt shows land	curface	FLUSH	In., weight	SC			Wall thickness or gai			
			ION MATERIAL:	in, weight				10 Asbesto			·
1 Ste			inless steel	5 Fiberglas	is			11 Other (s			
2 Bra			lvanized steel	6 Concrete		9	ABS	12 None us	ed (open ho	ole)	·  <b>-</b>
SCREEN O	R PERFORA	TION OPE	NINGS ARE:	5	Gauzed	wrapped		8 Saw cut	11	None (open hole)	)
1 Cor	ntinuous slot		3 Mill slot		Wire wr	apped		9 Drilled holes			
2 Lou	vered shutter	r	4 Key punched		7 Torch c	_		10 Other (specify)			
SCREEN-PI	ERFORATED	INTERVA		<b>2</b> ft.		6		rom			
				ft.				rom			
SAN	ND PACK INT	ERVALS:	From					rom			
0			From		to			rom			Ft.
6 GROUT	MATERIAL:	1 Ne	at cement 2	Cement grout Ft.			onite	4 Other	• • • • • • • • • •		
Grout Interv	als From3	0	ft. to		15	Ft.	1.5	ft. From	ft	t. to	ft.
What is the	nearest source	ce of possib	e contamination:					tock pens			
1 Sep	otic tank		4 Lateral lines	7	Pit privy		11 Fuel	storage	15 Oil well/	Gas well	
2 Sev	wer lines		5 Cess pool	8	Sewage la	igoon	12 Fertil	izer storage	16 Other (s	specify below)	
3 Wa	tertight sewer	r lines	6 Seepage pit	9	Feedyard		13 Insec	ticide storage	Conta	minated Site	,
Direction fro	m well?						How many	feet?			
FROM	то	CODE		LOGIC LOG		FROM	то	PLUGO	SING INTER	₹VALS	
0	1		Gravel and sar								
4	6		Silty Clay (CL) Limestone, tar	to brown	<u>n</u>						
6	TD		End of Boreho								-
							<del>  </del>				_
											_
											-
7 000	10705:0.65	1 1 1 1 2 2 2	VED 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
/ CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIFICAT	ION: This wate				onstructed, or (3) plugg			
Completed (	on (mo/day/yr	inners N	10/1	585				true to the best of my I			
			Associa		nmantal			ecord was completed			<u> </u>
under the bi	usiness name	ease fill in h	anks and circle the cor	rect answers Se	and three co	pies to Kans	as Departmen	By (signature) <b>Brad</b> int of Health and Envi	nent B		
Kansas	66620-0001.	Telephone	913-296-5545. Send	one to WATER V	VELL OWN	ER and retail	one for your	records.`	profess	of Water Topeka,	-