	WATER WELL RECORD Form WWC-5  X Original Record Correction Change in Well Ust							Division of Water				MW8	
			rrection		e in Well Ust	<del></del>		Resou	rces App. No.	L	Well ID		
1 LOCAT	ION OF W Labette	VATEI	R WELL	<b>,:</b>	Fraction NW 1/4	NE ¼	NE ¼	NW 1/4		er Township Nui T 33	, ,	Number 9 X E W	
2 WELL OWNER: Last Name: Wyckoff Business: Altamont Properties, Inc. Address: PO Box 497 Address: Address: PO Box 497									cnown, distance	and direction			
City         Altamont         State: KS         ZIP: 67330           3         LOCATE WELL         4         DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)           WITH "X" IN         Depth(s) Groundwater Encountered: 1)           SECTION BOX:         2)         ft 3)         ft, or 4)							Dry Well 95 ft. ay-yr) 3/3 ay-yr) ft gpm ft gpm	ft					
7 WELL WATER TO BE USED AS: 1 Domestic: 5 Public Water Supply: well ID Household 6 Dewatering: how many wells? Lawn & Garden 7 Aquifer Recharge: well ID Livestock 8 X Monitoring: well ID MW8 2 Irrigation 9 Environmental Remediation: well ID 3 Feedlot Air Sparge Soil Vapor Extraction 4 Industrial Recovery Injection							etior	10 Oil Field Water Supply: lease  11 Test Hole: well ID					
Was a chemical/bacteriological sample submitted to KDHE? Yes X No If yes, date sample was submitted:  Water well disinfected? Yes X No													
8 TYPE OF CASING USED: Steel X PVC Other CASING JOINTS: Glued Clampled Welded X Threaded Casing diameter 2 in. to 3.15 ft, Diameter in. to ft, Diameter in. to ft, Diameter in. to ft, Casing height above land surface -0.25 in. Weight lbs./ft. Well thickness or gauge No TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass X PVC Other (Specify)  Brass Galvanized Steel Concrete tile None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:  Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)  Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)  SCREEN-PERFORATED INTERVALS: From 3.15 ft. to 13.15 ft, From ft. to ft, From ft. to ft, GRAVEL PACK INTERVALS: From 2 ft. to 13.15 ft, From ft. to ft, From ft. to ft,													
9 GROUT MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-0.7' Grout intervals: From 0.7 ft. to 2 ft, From ft. to ft, From ft. to ft,													
Nearest source Septic Ta Sewer Lin	of possible onk nes ont Sewer Lin occity)	e conta	ıminatio	n: .ateral Lines Cess Pool Geepage Pit	Pit Sev	Privy vage Lago	on	Lives X Fuel: Fertil	tock Pens Storage izer Storage	Insecticid Abandone Oil Well			
10 FROM	ТО			LITHOI	OGIC LOG			FROM	ТО	LITHO. LOG (c	ont.) or PLUGGI	NG INTERVALS	
0.3	0.3	Topsoi Clayey	l, silty clay	у									
3	7.5	Weath		tone/shale o	lean clean								
7.5	13.15	Shale				~ <del></del>							
							T:	arget of more	nitoring well is s of KDHE.	t Properties, Inc.	er, <20' of grout	was installed at	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was jurisdiction and was completed on (mo-day-year) 1/13/21 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 757 This Water Well Record was completed on (mo-day-year) 4/8/21 under the business name of Larsen & Associates, Inc.    Mail   white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,													
	1000 SW 2	Jackson S	St., Suite 42	20, Topeka, K	ansas 66612-1367	. Mail one t	o Water We			nent, Bureau of Wate our records. Telephon	e 785-296-5524.		
Visit us at l	ittp://www.ko	incks.go	v/waterwei	r/index.html		K2A 8	2a-1212				Kevise	d 7/10/2015	

## **DENNIS L HANDKE**

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jess Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas 66046 January 25, 2021

RE: Monitor Well Elevation Survey 400 East 4<sup>th</sup> Street, Altamont, Kansas

Proj. 21-00A Altamont Properties, Inc KDHE ID U3-050-15129

Bench Mark: Chisled Sq. on NW corner of concrete sign base at North center of property.

Elev: 916.4	6 Nort	th 5308.94	West	3113.82	(from SE Cor. Sec. 11-33-19E)
MW-1	rim	915.51	North	5267. <b>80</b>	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	915.02	West	3151.75	Lat = 37.19284 Long = 95.29693
MW-2	rim	916.15	North	5235.08	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	915.81	West	3151.74	Lat = 37.19275 Long = 95.29693
MW-3	rim	916.32	North	5289.72	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	915.91	West	3108.69	Lat = 37.19290 Long = 95.29678
MW-4	rim	918.30	North	5399.96	SW1/4,SE1/4,SE1/4,SW1/4 (Sec. 2-33-19E)
	top pipe	917.93	West	3014.76	Lat = 37.19320 Long = 95.29646
MW-5	rim	916.86	North	5278.70	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	916.55	West	3030.90	Lat = 37.19287 Long = 95.29651
MW-6	rim	915.15	North	5296.49	NE1/4,NW1/4,NE1/4,NW1/4
	top pipe	914.61	West	3289.69	Lat = 37.19292 Long = 95.29740
MW-7	rim	912.80	North	5138.87	NE1/4,NW1/4,NE1/4,NW1/4
	top pipe	912.45	West	3382.02	Lat = 37.19248 Long = 95.29772
MW-8	rim	915.44	North	5208.82	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	915.19	West	3156.06	Lat = 37.19268 Long = 95.29694

Elevation derived from NGS BM Q17. NAVD 88.


Lat & Long derived from Altamont 7.5 Quad Map WGS84.

generations, please feel free to call me. Thank you for the opportunity to be

RECEIVED

APR 28 2021

**BUREAU OF WATER** 



2.1