WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number   Township Number   Range Number
County: Labette SE ¼ SW ¼ SE Distance and direction from nearest town or city street address of wel	16 T 33 S R 21 E E/W
located within city?	Latitude: N 37°09'53.2"
902 6th Street, Oswego KS 67356	Longitude: W 95°06'37.1"
2 WATER WELL OWNER: Crescent Oil Company	Elevation: 911.41
RR#, St. Address, Box # : PO Box 667	Datum: Above mean sea level
City, State, ZIP Code : Independence KS 67301  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL _ LOCATON	18 ft Site 101002 76 102
LOCATON DEFINITION COMPLETED WELL	MW2
WITH AN "X" IN Depth(s) Groundwater Encountered 1	ft. 2 ft. 3 ft.
SECTION BOX: WELL'S STATIC WATER LEVEL 2.6	0 ft. below land surface measured on mo/day/yr 1/5/07
N Pump test data: Well water was	ft. after hours pumping gpm
Est. Yield gpm: Well water was	ft. after hours pumping gpm
WELL WATER TO BE USED AS: 5 Pub	lic water supply 8 Air conditioning 11 Injection well
W E 1 Domestic 3 Feed lot 6 Oil field wate	r supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Domestic (lav	vn & garden) (10) Monitoring well
sw se	
Was a chemical/bacteriological sample sub	mitted to Department? Yes No X; If yes, mo/day/yrs
	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 C 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 C 2 PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 3 ft., Dia Casing height below land surface 0.38 ft., Weight	oncrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 C	ther (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 3 ft., Dia	in. to tt., Dia in. to tt.
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC	9 ABS 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 2 Brass 4 Galvan Arlon Open Arlo	10 Asbestos-Cement 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	Touch out 0 Doille I halos 11 News (see as halo)
1 Continuous slot (3) Mill slot 5 Guaze wrapped /	Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 3 ft.	to 18 ft. From ft. to ft.
From 2 ft.	to 18 ft. From ft. to ft.
GRAVEL PACK INTERVALS: From ft.	to ft. From ft. to ft.
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 SCREEN-PERFORATED INTERVALS: From 3 ft.  GRAVEL PACK INTERVALS: From ft.  From ft.	to ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3	Bentonite (4) Other cement, 0-1'
Grout Intervals From 1 ft. to 2 ft. From	ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	,
	ivestock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) F	
	ertilizer storage 15 Oil well/ gas well
	many feet?
	ROM TO PLUGGING INTERVALS
0 0.5 Concrete 0.5 4 Clay, red/brown, moist, med plasticity	Flushmount waiver by D. Taylor
4 11 Limestone	
11 13 Shale	
13 19 Clay, grey, moist, med plasticity,	
WET @ 15'	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	
under my jurisdiction and was completed on (mo/day/year) 1/2/07 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 1/17/07	
under the business name of Larsen & Associates, Inc. by (signature)	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for	
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	