WATER WELL RECORD Form WWC-	Division of Water Resources: App. No.
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number
County: Labette SE ½ SW ½	SE 14 16 T 33 S R 21 E E/W well if Global Positioning System (decimal degrees, min. of 4 digits)
located within city?	Latitude: N 37°09'53.2"
902 6th Street, Oswego KS 67356	Longitude: W 95°06'34.8"
902 6 th Street, Oswego KS 67356 2 WATER WELL OWNER: Crescent Oil Company	Fleviation: 01161
DR# St Address Boy # · PO Boy 667	Datum: Above mean sea level
City, State, ZIP Code : Independence KS 67301 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WEI	Data Collection Method: legal survey
LOCATON 4 DEPTH OF COMPLETED WEI	MW8
SECTION BOX: WELL'S STATIC WATER LEVEL	ft. 2 ft. 3 ft. 3.50 ft. below land surface measured on mo/day/yr 1/5/07
	was ft. after hours pumping gpm
Est Yield gpm. Well water	was ft. after hours pumping gpm
Lange Liver WATER TO BE USED AS: 4	Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feed lot 6 Oil field	water supply 9 Dewatering 12 Other (Specify below)
W E 2 Irrigation 4 Industrial 7 Domesti	(lawn & garden) 10 Monitoring well
SW-SE-	
Was a chemical/bacteriological sample	submitted to Department? Yes No X; If yes, mo/day/yrs
S Sample was submitted	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron	8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement	9 Other (specify below) Welded
2) PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 3 ft., Dia	in. to ft Dia in. to ft.
Casing height below land surface 0.27 ft., Weight	9 Other (specify below) Welded Threaded X in. to ft., Dia in. to ft. lbs./ft. Wall thickness or gauge No.
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SI	9 ABS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SI SCREEN OR PERFORATION OPENINGS ARE:	10 Asbestos-Cement 12 None used (open hole)
1 Continuous slot (3) Mill slot 5 Guaze wrapped	7 Torch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped	8 Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 3	ft. to 13 ft. From ft. to ft.
From	ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 2	ft. to 13 ft. From ft. to ft.
From	7 Torch cut 8 Saw Cut 10 Other (specify) ft. to 13 ft. From ft. to ft. ft. ft. to ft. ft. ft. to ft. ft. ft. to ft.
6 GROUT MATERIAL: I Neat cement 2 Cement grout	(3 Bentonite (4)Other cement, 0-1
Grout Intervals From 1 ft. to 2 ft. From	ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy	10 Livestock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard	12 Fertilizer storage 15 Oil well/ gas well
Direction from well?	How many feet?
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0 1.5 Soil	Flushmount waiver by D. Taylor
1.5 6 Rubble, mixed with water, soil, concrete 6 11 Limestone	
11 13 Shale	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATI	ON: This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year)	and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 757 This W	nter Well Record was completed on (mo/day/year) 1/17/07
under the business name of Larsen & Associates, Inc.	by (signature)
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water.	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	