

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Cherokee</u>		<u>NE 1/4 SW 1/4 SW 1/4</u>	<u>32</u>	<u>T 33 S</u>	<u>R 21 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>1/2 mi west 2 mi North Faulkner, Kans.</u>					
2 WATER WELL OWNER: <u>Kenneth Feist</u>		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: <u>Rt-1 Box 1500</u>		Application Number: <u></u>			
City, State, ZIP Code: <u>Chetopa, Kans</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>557</u> ft. ELEVATION: <u></u>			
		Depth(s) Groundwater Encountered 1. <u>15</u> ft. 2. <u>162</u> ft. 3. <u></u> ft.			
		WELL'S STATIC WATER LEVEL <u>162</u> ft. below land surface measured on mo/day/yr <u>9-3-92</u>			
		Pump test data: Well water was <u></u> ft. after <u></u> hours pumping <u></u> gpm			
		Est. Yield <u></u> gpm: Well water was <u></u> ft. after <u></u> hours pumping <u></u> gpm			
		Bore Hole Diameter <u>9 1/8</u> in. to <u>16 1/2</u> ft., and <u>6 1/8</u> in. to <u></u> ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>TURKEY WATER STOCK</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>(No)</u> If yes, mo/day/yr sample was submitted <u></u>			
		Water Well Disinfected? <u>(Yes)</u> No <u></u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u></u> Clamped <u></u>			
1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) <u>Welded</u> 7 Fiberglass <u>Threaded</u>			
Blank casing diameter <u>6 5/8</u> in. to <u>16 9/16</u> ft., Dia <u></u> in. to <u></u> ft., Dia <u></u> in. to <u></u> ft.					
Casing height above land surface <u>18</u> in., weight <u>13#</u> lbs./ft. Wall thickness or gauge No. <u>188</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		11 Other (specify) <u>(12) None used (open hole)</u> SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes		7 Torch cut 10 Other (specify) <u></u>			
SCREEN-PERFORATED INTERVALS: From <u>Not Available</u> ft. to <u>Not Available</u> ft., From <u></u> ft. to <u></u> ft.					
GRAVEL PACK INTERVALS: From <u></u> ft. to <u></u> ft., From <u></u> ft. to <u></u> ft.					
6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other <u></u>					
Grout Intervals: From <u>5' below ft. to 25'</u> ft., From <u></u> ft. to <u></u> ft., From <u></u> ft. to <u></u> ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)		13 Insecticide storage <u>TURKEY HOUSE</u> Direction from well? <u></u> How many feet? <u></u>			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	11	Overburden			
11	31	Blue shale			
31	40	Grey shale			
40	46	Gravel			
46	120	Grey shale			
120	141	Blk shale			
141	188	Grey limestone			
188	410	Blk shale			
410	557	Grey lime			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-3-92</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>492</u> This Water Well Record was completed on (mo/day/yr) <u>9-3-92</u>					
under the business name of <u>Tichenor Drilling Inc.</u> by (signature) <u>John Tichenor</u>					