WATER	R WELL RI	ECORD	Form WWC-5	Divis			urces; App. N		
1 1001	TOTAL OF TAX	APPROVED ANTERNA		C	ection Nu 13	mber	Township T 33	Number S	Range Number
Distance a located wi	nd direction fr thin city? 725	om nearest town E Maple St., Col	or city street address of umbus KS 66725	1 1,	obal Posi atitude: ongitude:	IN 2 /	.1/10/	cimal degre	ees, min. of 4 digit
RR#, S	t. Address, Bo	WNER: Judy I 0x # : 7383 N	IW Bethlehem Rd	E	levation:	RIM: WGS	: 904.66; TC		
3 LOCA	tate, ZIP Code	: Colum	COMPLETED WELL				ft.	ti bai voj	
LOCA				ī	ALXXIAID				
	AN "X" IN	Denth(s) Grou	ndwater Encountered 1	•		ft. 2		ft. 3	f
	ION BOX:	WELL'S STA	ndwater Encountered 1 TIC WATER LEVEL	ft.	below lar	nd surfa	ice measured	d on mo/da	ay/yr
	N	Pum	p test data: Well water	was	ft.	after	hou	ars pumpi	ng gpi
		Est. Yield	p test data: Well water gpm: Well water	was	ft.	after	hoı	ırs pumpi	ng gpi
-NW	/NE	TWELL WATE	R TO BE USED AS: 5	Public wate	er suppiv	o Al	r conainonn	12 11 111	lection wen
	X E	1 Domestic 3	Feed lot 6 Oil field v	vater supply	y	9 Dew	atering	12 Oth	er (Specify belov
W H	71	2 Irrigation 4	Industrial 7 Domestic	(lawn & ga	irden) (Į	0)Mon	itoring well		
⊢sw	·— se—					_	5	. ,	
	S	Sample was su	al/bacteriological sample bmitted		ν γ	Vater W	ell Disinfec	ted? Yes	No X
5 TYPE	OF CASING	USED: 5	Wrought Iron	8 Concrete	tile	CAS	ING JOINT	S: Glued	Clamped
1 040	1 2 3	O(MD)(DD) = 6	Ashactas Coment	Other (er	necify hel	(wo		Welde	d
(2) PV	C 4.	ABS 7	Fiberglass 3.20 ft., Dia 3 ft., Weight					Thread	led X
Blank casi	ing diameter	2 in. to	3.20 ft., Dia	in	. to	ft.,	, Dia	in.	to
Casing hei	ght below land	surface 0.2	ft., Weight		lbs./	ft. Wal	ll thickness o	or gauge N	۱o.
TYPE OF	SCREEN OR	PERFORATIO	N MATERIAL:	0.47	v C		11 Other	(aponify)	
1 Ste	el 3 Stainle	ss steel 5 Fi	berglass 7 PVC oncrete tile 8 RM (SR	9 AE	SS bostos Ce	ament	12 None i	(specify)	hole)
1 Co	ntinuous slot	(3) Mill slot	5 Gauze wrapped	7 Torch	cut	9 Drill	led holes	11 None	(open hole)
2 Lo	uvered shutter	4 Key punch	5 Gauze wrapped ed 6 Wire wrapped From 3.20	8 Saw C	Cut 1	10 Othe	er (specify)		
SCREEN-	PERFORATE	ED INTERVALS	: From 3.20	ft. to	10.20	ft. Fr	om	It. to	0
			From	. ft. to		. tt. Fr	om	n. u	0
GR	AVEL PACK	INTERVALS:	From 2 From	tt. to	10.5	n Fr	om	II. U	0
			From	ft. to		п. гг	om	11. 1	0
6 GROU	JT MATERIA	AL: 1 Neat cer	ment 2 Cement grout	(3) Bentor	nite (4	1)Other	Concrete:	0-1ft	
Grout Inte	rvals Fron	n 1 ft. to	2 ft. From	ft. t	0	ft.	From		ft. tof
What is th	e nearest sour	ce of possible co	ntamination:						
	tic tank		·····	10 Livestoc			ecticide Stor andoned wa		16 Other (speci below)
	er lines	5 Cess poo		I) Fuel stol	rage		well/gas w		neiow)
				12 Feruitze How many			well gas w	CII	
	from well? S					VII.	DITIOO	DIO DITI	PD37ALC
FROM	TO		LOGIC LOG	FROM	ТО	<u> </u>	PLUGG	ING INTI	CKVALS
0		sphalt							
<u>0.3</u> 5		own silty clay In shale							
J	10.5	in shale	WEST TO THE TOTAL PROPERTY OF THE TOTAL PROP	***					
		**************************************							***************************************
						ļ			
						ļ			
					 	Finch	mount waiv	er from I	30W
					-	1 10311	AND MAIL TYAIY	-, 41 0111 1	
under my ji Kansas Wa	urisdiction and ter Well Contra	was completed on ctor's License No	VER'S CERTIFICATIO (mo/day/year) 12/2 757 This Wassociates, Inc.	30/13 ater Well Red	and this cord was c	record i	is true to the t	pest of my l	ucted, or (3) plugge knowledge and bel k/13/14
TAICTEATION	MONIO DI CI	1 1 11	the samual anguara Canditon:	three conies to	Kaneac De	epartme	of Health and	Environmer	nt, Bureau of Water.
1Geology Sec	tion 1000 SW la	ekson St., Suite 420.	Toneka Kansas 66612-156/.	relephone /	53-290-332.	2. Send	WATER	WELL OW	NER and retain one
your records	. Fee of \$5.00 for	r each constructed w	ell. Visit us at http://www.kdh	eks.gov/water	well.		71		