

WATER WELL RI		VV VV C-3	12133		ion of Water		W 11 ID			
		ge in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1		
1 LOCATION OF WA	Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number			
County:			1/4 1/4	D	1 4 1 1 1	T S	R	□ E □ W		
2 WELL OWNER: La Business:	st Name:	First:				ere well is located ersection): If at owne				
Address:			direction	from nea	arest town or in	ersection): If at owne	r s address, o	:neck nere:		
Address:										
City:	State:	ZIP:								
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WELL	•	ft	5 Letitud	٠.		(daaimal daamaaa)		
WITH "X" IN	Depth(s) Groundwater									
SECTION BOX:		3) ft., or 4)								
N	WELL'S STATIC WA			_	or Latitude/Longitude	_	AD 21			
			neasured on (mo-day-yr)neasured on (mo-day-yr)			☐ GPS (unit make/model:				
NW   NE	☐ above land surface,	, measured on (mo-da								
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map					
E E		s pumping			Online Mapper:					
SW SE		vater was								
	Estimated Yield:	s pumping	gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC					
S	Bore Hole Diameter:		ft. and							
1 mile		in. to		Code and						
7 WELL WATER TO										
1. Domestic:		ater Supply: well ID.			10. □ Oil F	ield Water Supply: 1	ease			
☐ Household		g: how many wells?				e: well ID				
☐ Lawn & Garden						d Uncased				
Livestock		g: well ID				nal: how many bore				
2. Irrigation		al Remediation: well				d Loop  Horizon				
3. Feedlot	☐ Air Sparge		r Extraction	l		Loop Surface D				
4. Industrial	Recovery					(specify):				
Was a chemical/bacter		nitted to KDHE?	☐ Yes ☐	No ]	If yes, date sa	ample was submitte	ed:	• • • • • • • • • • • • • • • • • • • •		
Water well disinfected?										
8 TYPE OF CASING								I ☐ Threaded		
Casing diameter										
			lbs	./It.	Wall thickne	ss or gauge No	•••••			
TYPE OF SCREEN OR  ☐ Steel ☐ Stain	less Steel  Fiber				□ Oth on	(Specify)				
		_		hole)		(Specify)	• • • • • • • • • • • • • • • • • • • •			
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:										
			Torch Cut	□ Dri	lled Holes □	Other (Specify)				
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Nearest source of possible contamination:										
☐ Septic Tank     ☐ Lateral Lines     ☐ Pit Privy     ☐ Livestock Pens     ☐ Insecticide Storage       ☐ Sewer Lines     ☐ Cess Pool     ☐ Sewage Lagoon     ☐ Fuel Storage     ☐ Abandoned Water Well										
☐ Sewer Lines ☐ Watertight Sewer Line	☐ Cess Pool es ☐ Seepage Pit				uei Storage ertilizer Storag		ell/Gas Well	wen		
	🗀 Scepage I it			☐ I \	crimzer Storag	c 🗆 On we	an/Gas Wen			
Direction from well?		Distance from	well?			ft				
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS		
							·			
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
11 CONTRACTOR'S	d was completed as for	S CERTIFICATIO	JN: This v	water v	well was 🔲 (	constructed, $\sqsubseteq$ reco	onstructed,	or $\square$ plugged		
under my jurisdiction and was completed on (mo-day-year)										
under the business name	of	11118 V	· auci VV CII		ia was comp	u on (mo-uay-y	····			
S	Send one copy to WATER W	ELL OWNER and retai	n one for you	ır record	ls. Fee of \$5.00	for each constructed w	ell.			
under the business name of  Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Double J Energy
Well Owner	John Hutto
Doc ID	1302753

## Litholgy

From	То	LithologicLog
0	12	Soil
12	160	Limestone
160	168	Shale
168	200	Chert
200	267	Limestone
267	278	chert
278	365	Limestone
365	377	chert
377	710	Limestone
710	720	shale
720	736	chert Limestone
736	764	Limestone 550 gpm
764	830	Limestone 700 gpm
830	840	Limestone good porosity
840	852	chert
852	1122	Limestone
1122	1139	chert
1139	1243	Limestone