


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas State Dept. Of Health  
(Water Well Contractors)  
Forbes-Bldg. 740  
Topeka, Kansas 66620

1 Location of well:	County <b>Cowley</b>	Township name <b>BEAVER</b>	Fraction <b>W<sup>2</sup> NE 4</b>	Section number <b>12</b>	Town number <b>33</b>	Range number <b>3</b>																														
Distance and direction from nearest town or city: <b>2 W 3 S to</b>				3 Owner of well: <b>LESTER C. PRIEST</b>																																
Street address of well location if in city: <b>WINFIELD, KS</b>				Address: <b>R#3 WINFIELD, KS</b>																																
Locate with "X" in section below: 				Sketch map:																																
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">2 Type and color of material</th> <th style="width:10%;">From</th> <th style="width:10%;">To</th> </tr> </thead> <tbody> <tr> <td><b>BLACK SOIL</b></td> <td><b>1</b></td> <td><b>8</b></td> </tr> <tr> <td><b>RED CLAY</b></td> <td><b>8</b></td> <td><b>20</b></td> </tr> <tr> <td><b>GRAY CLAY</b></td> <td><b>20</b></td> <td><b>39</b></td> </tr> <tr> <td><b>FINE SAND</b></td> <td><b>39</b></td> <td><b>40</b></td> </tr> <tr> <td><b>MEDIUM TO COARSE SAND</b></td> <td><b>40</b></td> <td><b>60</b></td> </tr> <tr> <td><b>6" CLAY LAYER AT 50'</b></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>				2 Type and color of material	From	To	<b>BLACK SOIL</b>	<b>1</b>	<b>8</b>	<b>RED CLAY</b>	<b>8</b>	<b>20</b>	<b>GRAY CLAY</b>	<b>20</b>	<b>39</b>	<b>FINE SAND</b>	<b>39</b>	<b>40</b>	<b>MEDIUM TO COARSE SAND</b>	<b>40</b>	<b>60</b>	<b>6" CLAY LAYER AT 50'</b>												4 Well depth: <b>60'</b> ft. Date of completion <b>5-25-75</b> Well diameter <b>32"</b> in.		
				2 Type and color of material	From	To																														
				<b>BLACK SOIL</b>	<b>1</b>	<b>8</b>																														
				<b>RED CLAY</b>	<b>8</b>	<b>20</b>																														
				<b>GRAY CLAY</b>	<b>20</b>	<b>39</b>																														
				<b>FINE SAND</b>	<b>39</b>	<b>40</b>																														
				<b>MEDIUM TO COARSE SAND</b>	<b>40</b>	<b>60</b>																														
				<b>6" CLAY LAYER AT 50'</b>																																
			5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																	
			6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>																																	
			7 Casing: Material <b>Steel</b> Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <b>1 1/2"</b> in. Diam. Weight <b>24.15</b> lbs./ft. <b>1</b> <b>12</b> in. to <b>53</b> ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No — in. to — ft. depth																																	
			8 Screen: Manufacturer <b>Doerr</b> Type <b>—</b> Dia. <b>1 1/2"</b> Slot/gauge <b>1/8"</b> Length <b>8'</b> Set between <b>52</b> ft. and <b>60</b> ft. Fittings: <b>3 1/4" x 1/2"</b> Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material																																	
			9 Static water level: <b>33</b> ft. below land surface Date <b>5-26-75</b>																																	
			10 Pumping level below land surfaces: <b>52</b> ft. after <b>10</b> hrs. pumping <b>390</b> g.p.m. — ft. after — hrs. pumping — g.p.m. Estimated maximum yield <b>300</b> g.p.m.																																	
			11 Water sample submitted: <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <b>5-27-75</b>																																	
			12 Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> <b>1 1/2"</b> inches above grade																																	
			13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <b>PUDDLED CLAY</b> <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From <b>30</b> ft. to <b>1</b> ft.																																	
			14 Nearest source of possible contamination: ft. <b>6000</b> Direction <b>NW</b> Type <b>OIL WELL</b> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																	
			15 Pump: <input type="checkbox"/> Not installed Manufacturer's name <b>WESTERN LAND ROLLER</b> Model number — HP <b>10</b> Volts <b>440</b> Length of drop pipe <b>55</b> ft. capacity <b>300</b> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																	
16 Remarks: elevation <b>1160'</b>				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Hunt Drilling Co #249</b> Business name <b>R#2 Arkansas City KS</b> License No. Address <b>Walter C Hunt</b> Date <b>6/23/75</b> Signed <b>Walter C Hunt</b> Authorized representative																																