		WATER	WELL RECORD	Form W	NC-5 KS	SA 82a-1	212				
LOCATION OF WAT		Fraction NW 1/4	SW 1/4	SE 14	Section No.	umber	Township	Number S	Range R 4	Number E)W	
Distance and direction							رد ا	3	1 7		
5 south	of Winfie	PLD	10		·				Mw-1		
WATER WELL OW	NEA: Cowley	Co. La	ndfill								
RR#, St. Address, Box	x#:311 E,0	getu.					Board of	Agriculture, I	Division of Wa	iter Resource	
			7516				Application	on Number:			
City, State, ZIP Code LOCATE WELL'S LOAN "X" IN SECTION	OCATION WITH 4	DEPTH OF CO	MPLETED WELL	49.5	ft. l	ELEVATI	ON:!!	71.2	.L.S		
			VATER LEVEL .								
1			test data: Well								
NW	NE Es		gpm: Weil								
			er 🎖in.								
w	I W	ELL WATER TO	BE USED AS:	5 Public	water supp	ly 8	Air conditionin	ig 11	Injection well		
		1 Domestic	3 Feedlot	6 Oil field	d water sup	ply _9	Dewatering	12	Other (Specifi	y below)	
SW	x - SE	2 Irrigation	4 Industrial	7 Lawn a	and garden	only (10	Monitoring we	ell	. <i></i>		
	Wa	as a chemical/ba	cteriological sam	ple submitted	to Departme	ent? Yes	No	; If yes,	mo/day/yr sa	mple was sub	
	mif	tted				Wate	Well Disinfec	ted? Yes	No a	×	
TYPE OF BLANK C	ASING USED:		5 Wrought iron	8 C	oncrete tile		CASING J	DINTS: Glue	d Clar	nped	
1 Steel	3 RMP (SR)		6 Asbestos-Cem	ent 9 O	ther (specify	y below)		Weld	ed		
PVC	4 ABS	2- (7 Fiberglass					Threa	aded X		
(2)PVC Blank casing diameter	in.	_to . 2 9.5	ft., Dia	. , ii	n. to		ft., Dia		in. to	ft.	
Casing height above la	ind surface	32i	n., weight ?	67	<u>.</u>	lbs./ft.	Wall thickness	or gauge N	o	4	
YPE OF SCREEN OF	R PERFORATION M	MATERIAL:		\mathcal{C}	∵ ovc		10 As	sbestos-ceme	ent		
1 Steel	3 Stainless ste	eel	5 Fiberglass	8	RMP (SR))	11 O	her (specify)			
2 Brass	4 Galvanized	steel	6 Concrete tile	9	ABS		12 N	one used (op	en hole)		
CREEN OR PERFOR	RATION OPENINGS	ARE:	5 G	auzed wrappe	ed		8 Saw cut		11 None (o	oen hole)	
1 Continuous slo	t (3)Mills	lot		Vire wrapped			9 Drilled holes				
2 Louvered shutt	er 4 Key p	ounched 20	7 T	orch cut	_	1	0 Other (spec	ify)			
CREEN-PERFORATE	ED INTERVALS:	From	1,5 fi. i	to	$\geq \ldots$	ft., From		ft. t	0	 	
		From	. <u> ft</u> . 1	to	ن ـ	ft., From	<i></i>	, ft. t	0		
GRAVEL PAG	CK INTERVALS:	From 4	7 ft. 1	to 44.	>	ft., From		ft. t	0	<i>.</i>	
		From	ft. 1	to		ft., From		ft. t	0	ft.	
GROUT MATERIAL	: (1) Neat cem	ient 2	Cement grout	7-3	Bentonite _	40	ther				
Grout intervals: From	n Ø ft.	to25	ft., From		ft. to		ft., From .		ft. to		
What is the nearest so	•					Livesto	•		bandoned wat		
1 Septic tank	•		7 Pit privy			11 Fuel storage		15 Oil well/Gas well			
	2 Sewer lines 5 Cess pool			8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)				
•	er lines 6 Seepage	à C i i	9 Feedyar	d			ide storage				
Direction from well? FROM TO		df-1U	<u> </u>			ow many		LUGGING II	NTERVALC		
D 4.5	Topsoil	LITHOLOGIC LO	JG	FRO	м то	<u>' </u>		LUGGING II	VIERVALS		
4.5 34.5	Claver Si	14									
34.5 49.5	Sandy St		WILL SAME	<i>t</i>							
כיוד כיזכ	survey as	my the	iyey sano	·							
									water to the second		
									The second section of the second section of the second section		
		• • • • • • • • • • • • • • • • • • • •									
		0507/5/047/0				L					
	OR LANDOWNER'S	7-14-93	N: This water we	ell was (1) cor							
ompleted on (mo/day/	year)	177/50	T				is true to the b	est of my kno	owledge and t	peliet. Kansas	
Vater Well Contractor's		. 19 4 (191	,	er Well Recor	-		11111	PT	1.27. 1		
nder the business nar						(signatur		~ 1	num	¥	
	pewriter or ball point pe h. ent, Bureau of Water, Tope		MLY and PRINT clear 0001. Telephone: 913-							Department	
								,			

Corrected Copy