LOCATION OF WATER WELL: Fraction Section Number Township Number Range Num Range Num Section Number Township Number Range Num Range	Resourceftgpmgpm
Distance and direction from nearest town or city street address of well if located within city? 2 miles N of Ark. City at Strother Field Industrial Park WATER WELL OWNER: General Electric Company. RR#, St. Address, Box #: Strother Field Industrial Park, P.O. Box 797 Board of Agriculture, Division of Water Application Number: City, State, ZIP Code: Arkansas City, Kansas 67005 Application Number: LOCATE WELL'S LOCATION WITH A DEPTH OF COMPLETED WELL. 23.0. ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 18. measuring point ft. 3. WELL'S STATIC WATER LEVEL. 21.35. ft. below/articesoviers measured on mo/day/yr . 5/14/85. Pump test data: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Bore Hole Diameter. 9-5/8. in. to . 34.0	Resourceftgpmgpm
2 miles N of Ark. City at Strother Field Industrial Park WATER WELL OWNER: General Electric Company. 18#, St. Address, Box # : Strother Field Industrial Park, P.O. Box 797 Board of Agriculture, Division of Water Sity, State, ZIP Code : Arkansas City, Kansas 67005 Application Number: LOCATE WELL'S LOCATION WITH DEPTH OF COMPLETED WELL 23.0 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 18 measuring point WELL'S STATIC WATER LEVEL 21.35 ft. belowdards and the encountered of	ft. gpm
WATER WELL OWNER: IR#, St. Address, Box # : Strother Field Industrial Park, P.O. Box 797 Board of Agriculture, Division of Water Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth (s) Groundwater Encountered 1. 18.	ft. gpm
R##, St. Address, Box # : Strother Field Industrial Park, P.O. Box 797 Board of Agriculture, Division of Water Application Number: Arkansas City, Kansas 67005 Application Number:	ft. gpm
City, State, ZIP Code : Arkansas City, Kansas 67005 Application Number: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 18. ft. 2 ft. 3. measuring point WELL'S STATIC WATER LEVEL .21.35. ft. below/sercessorace measured on mo/day/yr . 5./14/85. Pump test data: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Bore Hole Diameter . 9-5/8. in. to . 34.0 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only Observation well	ft. gpm
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 18	ft gpm gpm
Depth(s) Groundwater Encountered 1. 18	ft gpm gpm
Pump test data: Well water was ft. after hours pumping st. Yield gpm: Well water was ft. after hours pumping st. Yield ft. Sec. Yield st. Yield st	gpm
Est. Yield	gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 2 Irrigation 4 Industrial 7 Lawn and garden only Observation well	ft.
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering Other (Specify be 2 Irrigation 4 Industrial 7 Lawn and garden only Observation well	
2 Irrigation 4 Industrial 7 Lawn and garden only Observation well	
	e was sub X
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass	
Blank casing diameter 2 in. to 18.0 ft., Dia in. to ft., Dia in. to	
Casing height above land surface24in., weight	
	. 4 .u
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)	
Community of the commun	noie)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
From	
GRAVEL PACK INTERVALS: From 15.5 ft. to 33.0 ft., From ft. to 57.0 ft., From ft., Fr	
	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 other Cement/Bentonite	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	/eii
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Industrial Activ	w) mit.v
1001	T.F4
Direction from well? all around How many feet? 100° FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0.0 0.5 Topsoil	
0.5 2.5 Brown silty clay, moist, stiff	
U.5 Z.J Brown Sirey Clay, moise, Serie	
2.5 3.0 Gray-brown silty clay, moist, stiff	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist,	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth	
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	and was
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year)	and was
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction	and was
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year) 5/3/85 and this record is true to the best of my knowledge and belie water well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 6/16/85 and the business name of Layne-Western Company, Inc. by (signature) 1000-1000-1000-1000-1000-1000-1000-100	f. Kansas
2.5 3.0 Gray-brown silty clay, moist, stiff 3.0 7.0 Red-brown & gray silty clay, trace sand, slightly moist, stiff 7.0 12.0 Light brown silty clay, moist, stiff 12.0 18.0 Light olive-gray sandy clay, moist, stiff 18.0 32.0 Brown fine sand, wet, loose 32.0 Total Depth CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 10 constructed, (2) reconstructed, or (3) plugged under my jurisdiction completed on (mo/day/year) 5/3/85 and this record is true to the best of my knowledge and belie Nater Well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 6/16/85	f. Kansas