

RI-6

1 LOCATION OF WATER WELL: Fraction SW 1/4 SE 1/4 NE 1/4 Section Number 19 Township Number T 33 S Range Number R 4 EW

Distance and direction from nearest town or city street address of well if located within city? 4.5 Miles South of Winfield, Kansas (East side Hwy 77)

2 WATER WELL OWNER: Strother Field Commission Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: Strother Field Industrial Park
City, State, ZIP Code: Arkansas City, KS 67005 Application Number: PER KDHE R/VFS

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing a 2x2 grid with 'X' in the SE quadrant]
4 DEPTH OF COMPLETED WELL: 34.5 ft. ELEVATION: 1110.49

Depth(s) Groundwater Encountered: 1. 14.0 ft. 2. measuring pt. 3.
WELL'S STATIC WATER LEVEL: 16.57 ft. below land surface measured on mo/day/yr
Pump test data: Well water was ... ft. after ... hours pumping ... gpm
Est. Yield ... gpm: Well water was ... ft. after ... hours pumping ... gpm
Bore Hole Diameter: 8.0 in. to 34.5 ft., and ... in. to ... ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well (monitoring)
Was a chemical/bacteriological sample submitted to Department? Yes X No ...; If yes, mo/day/yr sample was submitted 5-26-92
Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) 10 Asbestos-cement
Blank casing diameter: 2.0 in. to 14.0 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.
Casing height above land surface: 24 in., weight ... lbs./ft. Wall thickness or gauge No. Schedule 40

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 14 ft. to 34 ft. From 12 ft. to 34 ft.
GRAVEL PACK INTERVALS: From ... ft. to ... ft. From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 0 ft. to 10 ft. From ... ft. to ... ft. From ... ft. to ... ft.
What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)

Direction from well? EAST How many feet? East 100' 50'

Table with 2 columns: FROM, TO and 2 rows: LITHOLOGIC LOG. Entry: 0' to 34.5' Cement Grout (concrete top seal)

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2-11-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. ... This Water Well Record was completed on (mo/day/yr) ... under the business name of ... by (signature) William D. Weston Jr.