


1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number
 County: Cowley N.W. SW ¼ SE ¼ NE ¼ 25 T 33 S R 5 E EW

Distance and direction from nearest town or city Street address of well if located within city?
From Dexter 6 W. 2 1/2 S. on Cowley 20

2 WATER WELL OWNER: Bill Tasker Well # 2 Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: Rt. # 1 Dexter, Ks Application Number: N/A
 City, State, ZIP Code:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL... 60 ft. ELEVATION: unk
 Depth(s) Groundwater Encountered 1... 7 ft. 2... ft. 3... ft.
 WELL'S STATIC WATER LEVEL... 4 ft. below land surface measured on mo/day/yr 4-18-88
 Pump test data: Well water was bailed only hours pumping... gpm
 Est. Yield 1 1/2 gpm: Well water was... ft. after... hours pumping... gpm
 Bore Hole Diameter... 8 in. to... t.d. ft., and... in. to... ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
(Domestic) 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes... No... X If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped...
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded...
(2 PVC) 4 ABS 7 Fiberglass Threaded...
 Blank casing diameter... 5 in. to... 55 ft., Dia... in. to... ft., Dia... in. to... ft.
 Casing height above land surface... 30 in., weight... lbs./ft. Wall thickness or gauge No. SDR 26
 TYPE OF SCREEN OR PERFORATION MATERIAL: (7 PVC) 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) ...
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot (3 Mill slot) 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ...
 SCREEN-PERFORATED INTERVALS: From... 55 ft. to... 60 ft., From... ft. to... ft.
 From... ft. to... ft., From... ft. to... ft.
 GRAVEL PACK INTERVALS: From... 7 ft. to... t.d. ft., From... ft. to... ft.
 From... ft. to... ft., From... ft. to... ft.

6 GROUT MATERIAL: (1 Neat cement) 2 Cement grout 3 Bentonite 4 Other ...
 Grout Intervals: From... 7 ft. to... g.l. ft., From... ft. to... ft., From... ft. to... ft.
 What is the nearest source of possible contamination:
(Septic tank) 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? 450' S.W. How many feet? 450

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	6	soil			
6	24	yel boldered lm. clay filled			
24	45	hrd brn/ blk lm.			
45	60	wht sdy lm.			
As with well # 1 only apparent water zone is in fractured section of yellow lm at 1/2 g.p.m.					
Grout interval was amended to g.l. / 7' as in well # 1					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-19-88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 171 This Water Well Record was completed on (mo/day/yr) 5-5-88 under the business name of G & S Drilling by (signature) Bill Tasker

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

5810000078-50

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4