KOLAR Document ID: 1524857

	WELL R			WWC-5		vision of Wate						
		Correction		ge in Well Use		ources App. N			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		ction Numbe		iship Numb		ige Number			
County: $\frac{1}{4}$ $\frac{1}{4}$						1 4 1 1						
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address: di						rection from nearest town of intersection). If at owner's address, check here:						
Address:												
City:		-	State:	ZIP:								
3 LOCAT		4 DEPTH	ft	ft. 5 Latitude :(decimal degrees)								
	WITH "A" IN Depth(a) Croundwater Enco				ncountered: 1) ft.			Longitude:				
	SECTION BOX: N N						Datum: WGS 84 NAD 83 NAD 27					
1	`	WELL'S ST	TATIC WA	TER LEVEL:	ft.		Source for Latitude/Longitude:					
				, measured on (mo-day		· G)		
NW	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? Yes No)					
	~	Pump test data: Well water was ft. after hours pumping gpm				Land Survey Topographic Map						
W				Well water was ft.			Online Mapper:					
SW	SWX-SE afte			after hours pumping gpm								
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
	S	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map Other						
1 r				in. to	ft.			••••••	•••••			
7 WELL WATER TO BE USED AS:												
1. Domestic:						10.						
			6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID				\Box Cased \Box Uncased \Box Geotechnical					
			g: well ID			12. Geothermal: how many bores?						
	2. □ Irrigation 9. Environmental Remediation: well I							Horizont				
3. 🗌 Feedlot 🗌 Air Sparge					Extraction b) Open Loop 🗌 Surface Discha							
4. 🗌 Industr	rial		Recovery	Injection		13. 🔲 Ot	13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel PVC Other (Specify)												
Steel Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
				n ft. to	,			,				
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
			No	ft., From	ft. to	ft., From	•••••	. ft. to	ft.			
Septic		e contaminati	ateral Line	potential source of cor es		Livestock Pe	me	🗆 Insectio	cide Storage			
			Cess Pool	Sewage La		Fuel Storage			oned Water			
	ight Sewer Lir			☐ Feedyard		Fertilizer Sto			ll/Gas Well			
□ Other (Specify)												
				Distance from w								
10 FROM	TO	I	ITHOLOG	GIC LOG	FROM	TO	LITHO. LO	DG (cont.) or	PLUGGIN	G INTERVALS		
					Notes:	<u> </u>						
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	N: This wate	r well was] construc	ted, 🗌 reco	onstructed,	or 🗌 plugged		
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record i	is true to th	e best of m	y knowled	ge and belief.		
				This Wa								
under the b	usiness name	Send one copy to	WATED W	/FLL OWNER and retain	one for your rea	ords Fee of ¢4	5 00 for each	constructed we	<u></u> 11			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
-		ks.gov/waterwel				,	• ·			SA 82a-1212		