


1 LOCATION OF WATER WELL: Fraction NW 1/4 NW 1/4 NE 1/4 Section Number 3 Township Number T 34 S Range Number R 11 EW  
 County: Chautaugua

Distance and direction from nearest town or city street address of well if located within city?  
221 W. MAIN ST., SEDAN, KANSAS 67361

2 WATER WELL OWNER: SEDAN LIMESTONE CO., INC.  
 RR#, St. Address, Box # : P.O. DRAWER J Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code : SEDAN, KANSAS 67361 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL 34.5 ft. ELEVATION: 859 ft.  
 Depth(s) Groundwater Encountered 25.0 ft. 2 ..... ft. 3 ..... ft.  
 WELL'S STATIC WATER LEVEL 24.8 ft. below land surface measured on mo/day/yr 10/23/07  
 Pump test data: Well water was ..... ft. after ..... hours pumping ..... gpm  
 Est. Yield ..... gpm: Well water was ..... ft. after ..... hours pumping ..... gpm  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes ..... No X .....; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes ..... No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ..... Clamped .....  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded .....  
 7 Fiberglass Threaded .....  
 Blank casing diameter 2.0 in. to 19.5 ft., Dia ..... in. to ..... ft., Dia ..... in. to ..... ft.  
 Casing height above land surface N/A in., weight ..... lbs./ft. Wall thickness or guage No. ....  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 10 Asbestos-Cement  
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RMP (SR) 11 Other (Specify) .....  
 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10 Other (specify) ..... ft.  
 SCREEN-PERFORATED INTERVALS: From 19.5 ft. to 34.5 ft., From ..... ft. to ..... ft.  
 From ..... ft. to ..... ft., From ..... ft. to ..... ft.  
 GRAVEL PACK INTERVALS: From 17.5 ft. to 34.5 ft., From ..... ft. to ..... ft.  
 From ..... ft. to ..... ft., From ..... ft. to ..... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other BENTONITE CHIPS\*  
 Grout Intervals: From 0 ft. to 15.25 ft., From 15.25 ft. to 17.5 ft., From ..... ft. to ..... ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage .....  
 Direction from well? How many feet? UNKNOWN

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>1.0'</u>	<u>DARK BROWN SOIL</u>			
<u>1.0'</u>	<u>4.5'</u>	<u>WEATHERED TAN SANDSTONE (HC 000R 30')</u>			
<u>4.5'</u>	<u>5.25'</u>	<u>HARD BROWN SANDSTONE</u>			
<u>5.25'</u>	<u>8.5'</u>	<u>HARD TAN SANDSTONE</u>			
<u>8.5'</u>	<u>9.5'</u>	<u>SOFT BROWN SILTY CLAY</u>			
<u>9.5'</u>	<u>34.5'</u>	<u>BROWN TAN HARD SANDSTONE (SUSHTHC 000R)</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/23/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 754 This Water Well Record was completed on (mo/day/yr) 11/20/07 under the business name of PALMERTON & PARRISH, INC by (signature) Brad D. Palmerton