

County: Chautauqua Fraction: NE NW SE SW Sec. 27 T. 34 S R. 11 E

CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: Shawn Scott

If location corrected, was listed as:

Section-Township-Range: 27-34-11E

Fraction (1/4 calls): NE SE SW

Location changed to:

NE NW SE SW

Other changes: Initial statements: Latitude changed from 37 degrees N 3'28" to 37.05777

Longitude changed from 96 degrees W 11'35"W to -96.193055

Changed to: _____

Comments: _____

Verification method: Correction made by Pam Chaffee with KDHE. Correction put in note with record.

Initials: SH Date: 08-17-2021

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

WATER WELL RECORD Form WWC-5

Division of Water
Resources App. No.


Well ID

 Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Chau-tauqua Fraction NE 1/4 SE 1/4 SW 1/4 Section Number 27 Township Number 34T Range Number R 11 E W

2 WELL OWNER: Last Name Shawh First Shawh Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Business Address: 1750 Hwy 166
Address: 560 ft
City: Sedan KS State: KS ZIP: 67361
3 miles north of Chau-tauqua, west on eagle road 1 1/4 miles, north 1/8 mile in pasture

3 LOCATE WELL WITH "X" IN SECTION BOX: N



4 DEPTH OF COMPLETED WELL: 220 ft.
Depth(s) Groundwater Encountered: 1) 19.5 ft.
2) ft. 3) ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: 1.50 ft.
 below land surface, measured on (mo-day-yr) 4-22-21
 above land surface, measured on (mo-day-yr).....
Pump test data: Well water was 192 ft.
after 1 hours pumping 7 gpm
Well water was ft.
after hours pumping gpm
Estimated Yield: gpm
Bore Hole Diameter: 8 in. to 220 ft. and
..... in. to ft.

5 Latitude: 37° 03' 27" N (decimal degrees)
Longitude: 96° 11' 34" W - 307 (decimal degrees)
Horizontal Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:

6 Elevation:ft Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 WELL WATER TO BE USED AS:

- | | | |
|---|--|---|
| 1. <input checked="" type="checkbox"/> Domestic
<input type="checkbox"/> Household
<input type="checkbox"/> Lawn & Garden
<input type="checkbox"/> Livestock | 5. <input type="checkbox"/> Public Water Supply. well ID | 10. <input type="checkbox"/> Oil Field Water Supply. lease |
| 2. <input type="checkbox"/> Irrigation | 6. <input type="checkbox"/> Dewatering: how many wells? | 11. Test Hole: well ID |
| 3. <input type="checkbox"/> Feedlot | 7. <input type="checkbox"/> Aquifer Recharge: well ID | <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical |
| 4. <input type="checkbox"/> Industrial | 8. <input type="checkbox"/> Monitoring: well ID | 12. Geothermal: how many bores? |
| | 9. Environmental Remediation: well ID | a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical |
| | <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction | b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water |
| | <input type="checkbox"/> Recovery <input type="checkbox"/> Injection | 13. <input type="checkbox"/> Other (specify): |

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter 5 in. to 220 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface in. Weight lbs/ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)

SCREEN-PERFORATED INTERVALS: From 220 ft. to 190 ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 220 ft. to 20 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From 20 ft. to sur face ft., From ft. to ft., From ft. to ft.
Nearest source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)

Direction from well? Distance from well? ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 4-22-21 and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. 975 This Water Well Record was completed on (mo-day-year) 4-24-21 under the business name of Euler Water Well Drilling Signature
Mail 1 white copy along with a fee of \$5 00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St, Suite 420, Topeka, Kansas 66612-1367 Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.

Shawn ~~Scott~~ Scott well log

0-2 Topsoil

02-12 clay

Cable Tool log

02-15 lime

15-25 grey shale

25-45 Red Shale

45-47 grey sand

47-48 grey shale

48-59 grey sand

59-82 Shale

82-93 grey sand

93-99 grey shale

99-108 shale

108-110 sand

110-113 red shale

113-115 sand

115-128 red shale

128-133 grey sand

133-140 red shale

140-143 grey sand

143-153 grey shale

153-175 grey sand

175-182 shale

182-185 sand

185-195 shale

195-202 (Fine sand/water)

202-210 shale

210-215 sand / 215-220 shale