


1 LOCATION OF WATER WELL: County: **Chautauqua** Fraction: **SW 1/4 NW 1/4 NE 1/4** Section Number: **3** Township Number: **T 34 S** Range Number: **R 11 EW**

Distance and direction from nearest town or city street address of well if located within city?
221 W. Main, Sedan, Ks.

2 WATER WELL OWNER: **Richard Blake**
 RR#, St. Address, Box #: **P.O. Drawer J**
 City, State, ZIP Code: **Sedan, Ks. 67361**
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **28'** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. **23'** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: **23' 3"** ft. below land surface measured on mo/day/yr **4-5-94**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **8 1/2"** in. to **28"** ft., and in. to ft.
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only **10** Monitoring well 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes **No**

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded **X**
 7 Fiberglass Threaded
 Blank casing diameter **2.375** in. to **12' 6"** ft., Dia. in. to ft., Dia. in. to SDR **13**
 Casing height above land surface **Flush Mount** in., weight lbs./ft. Wall thickness or gauge No. **SCH 40**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot **3 Mill slot** 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **27' 6"** ft. to **12' 6"** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **27' 6"** ft. to **10' 6"** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From **10' 6"** ft. to **5'** ft., From **5'** ft. to **0'** ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon **11** Fuel storage **Fuel** 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? **Sewer - South - 10' ; Fuel - Fuel Storage - West** How many feet? **150'**

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|------|---|------|----|--------------------|
| 0 | .50 | Concrete | | | |
| .50 | 2.75 | dk brn silty sandy clay, moist earthy odor. | | | |
| 2.75 | 26 | yellow sandstone, dry, no odor, iron oxide staining Wet at 24' | | | |
| 26 | 28 | Dk brn-gray brn shale w/ sandstone stringers, dry, very tight, no odor. | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) **constructed** (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **4-5-94** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **539** This Water Well Record was completed on (mo/day/yr) **4-16-94** under the business name of **JB Environmental Drilling** by (signature) **James Bieber**

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4