

1 LOCATION OF WATER WELL: County: Chautauqua	Fraction NW 1/4 NW 1/4 NE 1/4	Section Number 15	Township Number T 34S S	Range Number R 12E EW
--	---	-----------------------------	-----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?
1 mi. N + 1 mi. E of Peru, KS

2 WATER WELL OWNER: RR#, St. Address, Box #: Koch Industries, Inc. 4111 E. 37th St North	Board of Agriculture, Division of Water Resources
City, State, ZIP Code: Wichita, KS 67220	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 20 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 12 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter: 8.75 in. to 20 ft., and in. to ft.	
WELL WATER TO BE USED AS:	5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only <input checked="" type="radio"/> Monitoring well # 2	
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded		Threaded Flush Jt
<input checked="" type="radio"/> PVC 4 ABS 7 Fiberglass		
Blank casing diameter 2 in. to 5 ft., Dia in. to ft., Dia in. to ft.		
Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:	<input checked="" type="radio"/> PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 8 Saw cut 11 None (open hole)	
<input checked="" type="radio"/> Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From 5 ft. to 20 ft., From ft. to ft.		
GRAVEL PACK INTERVALS: From 5 ft. to 20 ft., From ft. to ft.		

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From 4 ft. to 5 (3) ft., From 3 ft. to 4 (1) ft., From 0 ft. to 3 (2) ft.	
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	Former gas processing facility on site
Direction from well?	How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	20	Silty sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, <input type="radio"/> reconstructed, or <input type="radio"/> plugged under my jurisdiction and was completed on (mo/day/year) 6-26-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 603 This Water Well Record was completed on (mo/day/yr) 7-1-97 under the business name of Whitetail Services, Inc. by (signature) <i>John C. Schimmer</i>
--