


1 LOCATION OF WATER WELL: Fraction SW 1/4 NW 1/4 NE 1/4 Section Number 36 Township Number T 34 S Range Number R 12 EW
 County: Cherokee Distance and direction from nearest town or city street address of well if located within city? 12

2 WATER WELL OWNER: V. POCIS JR. Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: Rt 1 Box 818 #2 Application Number:
 City, State, ZIP Code: Perry, MO 63360

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 318 ft. ELEVATION:
 Depth(s) Groundwater Encountered: 1 7 1/2 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 0 99 1/2 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 10 in. to 3 1/8 in. to in. to in.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass NONE Threaded
 Blank casing diameter: 0 99 1/2 in. to ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface: 0 99 1/2 in., weight lbs./ft. Wall thickness or gauge No.
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) NA
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) NA
 SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 ~~Cement grout~~ 3 Bentonite 4 Other
 Grout Intervals: From 6 ft. to 2 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Soil	291	296	Shale Dark
3	7	Sand Rock	296	302	lime
7	10	Clay yellow	302	318	Shale Gray
10	13	Shale Blue			TD 318
13	15	Sand Rock			
15	36	Shale			
36	39	lime			
39	41	lime			
41	49	Sand Rock Red.			
49	75	Shale Gray			
75	75	Shale Dark			
75	239	lime Dark			
239	241	Shale Gray			
241	260	lime Dark			
260	272	lime Dark			
272	271	lime Dark			
271	271	Shale Gray			

Day, Filled to 6' with Shale Cement Muds to 2' bit to surface.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-2-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 1142 This Water Well Record was completed on (mo/day/yr) 6-23-94 under the business name of C.P. POCIS JR. by (signature) Charles P. POCIS JR.

OFFICE USE ONLY T R EM SEC.