


1 LOCATION OF WATER WELL: County: Chautauqua Fraction: SE 1/4 NW 1/4 NW 1/4 Section Number: 25 Township Number: T 34 S Range Number: R 12 EW

Distance and direction from nearest town or city street address of well if located within city?  
2 M. S. E of Peru.

2 WATER WELL OWNER: Virgil Peck  
 RR#, St. Address, Box #: R. R. 1 Box 101  
 City, State, ZIP Code: Peru, Kans.  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 50 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 4 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 13 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 10 in. to 50 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes.....No ; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  No

5 TYPE OF BLANK CASING USED:  
 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued  Clamped  
 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded  
 ABS 7 Fiberglass Threaded  
 Blank casing diameter 6 in. to 18 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface 22 in., weight Sch. 40 lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 Brass 4 Galvanized steel 6 Concrete tile 9 ABS  None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut  None (open hole)  
 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:  Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 8 ft. to 11 ft., From 11 ft. to 0 ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 Insecticide storage  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	soil			
3	38	sand rock			
38	40	sand blue			
40	46	sand gray			
46	50	sand blue T.D.			
		Water at 21'			
		13 Gal Per Min.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Dec. 2, 1983 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 442 A This Water Well Record was completed on (mo/day/yr) Dec. 16, 1983 under the business name of Charles Kurnell by (signature) C. W. Kurnell

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T 34 R 12 BW SEC. 25 SE 1/4 NW 1/4 NW 1/4

DD