•		R WELL RECORD	Form WWC					
LOCATION OF WATER WELL: County: Montgomery	Fraction SE 1/4	NW 1/4 N	Sec IE 1/4	ction Numbe	r Township N T 34	umber S	Range Number R 16 EW	
Distance and direction from nearest t 400 N. Linden, Coffeyville, K	own or city street a	ddress of well if loca	ted within city	?				
WATER WELL OWNER: Farmla		Inc.				·	AL-MATTER CO.	
RR#, St. Address, Box#: P.O. B		inc.			Board of Agric	ulture Divis	ion of Water Resources	
City, State, ZIP Code : Coffeyville, Kansas 67337-0570				Application Number:				
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF CO	MPLETED WELL			VATION:	7	26.6	
N	1 ' ' '						3 ft.	
f							r	
_ NW XNE							npinggpm	
' ' '	1	-				•	npinggpm	
₩ W - 1 - 1 - 1 E	l .			-			to	
- ''			Public water		8 Air conditionin	_	njection well	
sw sE	1 Domestic				_		Other (Specify below)	
J J J	2 Irrigation				10 Monitoring we			
<u> </u>	1	bacteriological samp	le submitted to	-			mo/day/yr sample was	
S	submitted				ater Well Disinfect		No √	
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Conci				Clamped	
1 Steel 3 RMP (S	R) (6 Asbestos-Cement	9 Other	(specify bel	ow)		ed	
(2)PVC 4 ABS		7 Fiberglass					ded √	
Blank casing diameter	in. to 8	ft., Dia	in.	to	ft., Dia		in. to ft.	
Casing height above land surface	26.28 i	n., weight			/ft. Wall thickness	or gauge N	o Sch. 40	
TYPE OF SCREEN OR PERFORATION	N MATERIAL		(7)PV	С	10 Ast	estos-ceme	ent	
1 Steel 3 Stainles	s steel 5	5 Fiberglass	8 RM	P (SR)	11 Oth	er (specify)		
2 Brass 4 Galvania	zed steel	6 Concrete tile	9 AB	S	12 Nor	ne used (op	en hole)	
CREEN OR PERFORATION OPENIN	NGS ARE:	5 Gauz	ed wrapped		8 Sawcut		11 None (open hole)	
1) Continuous slot 3 M	Vill slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered shutter 4 k	Key punched	7 Torch						
SCREEN-PERFORATED INTERVALS	: From	.8 ft. to .		ft., F	rom	ft.	to	
	From	ft. to .		ft., F	rom	f t.	to	
GRAVEL PACK INTERVALS	: From	. 6 ft. to .	30	ft., F	rom	ft.	to	
	From	ft. to .	<u></u>	ft., F	rom	ft.	to	
GROUT MATERIAL: 1 Neat	cement 2	Cement grout	3 Bento	nite 4	1 Other			
Grout Intervals: From			. 1 ft.	to 6.				
What is the nearest source of possible		·			stock pens		pandoned water well	
1 Septic tank 4 Late	ral lines	7 Pit priw			l storage		l well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon			tilizer storage		her (specify below)	
	page pit	9 Feedyard			ecticide storage		finery. Facility	
Direction from well? At Refiner					iny feet?			
FROM TO	LITHOLOGIC L	OG	FROM	TO	PL	UGGING IN	TERVALS	
0 1.5 Concrete,								
1.5 4.5 Clay, Dark C	Fray to Black							
4.5 12.5 Clay, Olive (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
12.5 15 Clay, Olive	*							
15 19 Silt, Olive	1, 10							
19 20 Clay, Olive C	Frav							
20 23.5 Silt, Olive								
23.5 27.5 Silt, Olive					11.110.70.37000013			
	Yellow Brown				1 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -			
	ery Dark Gray				****			
29.5 30 Sandstone, V	CLY DALK GRAY						20.000	
							A A 12 4 A - A - PA - PA - PA - PA - PA - PA -	
				,	DMXX141 7	Abore		
		A SHATT		 	RMW141, Tag#,			
					Project Name: Fara	mand Kefin	ery-50 Wells	
					GeoCore # 255, #			
CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATIO	N: This water well w	as (1) constru	ıcted, (2) re	constructed, or (3)	plugged un	der my jurisdiction	
and was completed on (mo/day/year)		. 1/11/96		and this	record is true to the	best of my	knowledge and belief.	
and was completed on (mo/day/year) Kansas Water Well Contractor's Licer		. 1/11/96	is Water Well		record is true to the completed opg(mo		knowledge and belief. 1/16/96	
		. 1/11/96	is Water Well		completed op (mo		. .	