	WATER WELL RECORD	Form WWC-5 KSA	82a-1212 ID No.	
LOCATION OF WATER WELL:	1	Section Nu	mber Township Number	Range Number
County: Montgomery			T 34S S	R 16 E
Distance and direction from nearest tow 400 N. Linden St. – Coffeyville,		ated within city?		
2 WATER WELL OWNER: Coffey		and Marketing LL	.C	
RR#, St. Address, Box # : 10 Cai	mbridge Circle, Ste. 250	J	Board of Agriculture, [Division of Water Resources
City State 7ID Code Kansa	s City KS 66103		Application Number:	The second secon
LOCATE WELL'S LOCATON WITH				
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	L 24.5 ft.	ELEVATION:	718.23 toc
† 	Depth(s) Groundwater Encountered	i 1	ft. 2ft.	3 ft. S
NW NE	WELL'S STATIC WATER LEVEL			ay/yr
			ft. after hour	s pumpina apm
<u></u> ₩	Est. Yield gpm: Well v	water was	ft after hour	s numping apm
7 1 1	Bore Hole Diameter 8 in.	to 24.5	ft and	s pumping gpm comping gpm in. to ft.
sw ×::	Bore Hole Diameter 8 in. WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot	5 Public water supply	8 Air conditioning	11 Injection well
	1 Domestic 3 Feed lot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
†	2 Irrigation 4 Industrial	7 Lawn and garden (do	omestic) 10 Monitoring well	
s	Was a chemical/bacteriological sam			
	submitted	inplo dubililitiou to Dopara	Water Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:	5 Wrought Iron	8 Congrete tile	CASING JOINTS: G	
	_			
		ement 9 Other (specif		
2 PVC 4 ABS	7 Fiberglass		Thr	eaded Flush
Blank casing diameter 2 Casing height above land surface	in. to 19.5 ft., Dia	in. to	ft., Dia	in. toft.
Casing height above land surface	36 in., weight	0.703	bs./ft. Wall thickness or gauge it	No. SCH. 40
TYPE OF SCREEN OR PERFORATION	N MATERIAL:	7 PVC	10 Asbestos-ce	ment
1 Steel 3 Stainl	ess steel 5 Fiberglass	8 RMP	(SR) 11 Other (speci	fv)
2 Brass 4 Galva	nized steel 6 Concrete tile	9 ABS	12 None used (8 Saw cut 9 Drilled holes	open hole)
SCREEN OR PERFORATION OPENIA		Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot 6 V	Wire wrapped	9 Drilled holes	
2 Louvered shutter 4	Key punched 7	Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS	: From 19.5 ft. to	24.5	ft. From	ft. to ft.
	From ft. to			4 - 4
GRAVEL PACK INTERVALS:	4	24.5	ft From	ft to
				ft. to ft.
6 GROUT MATERIAL: 1 Neat		a Double it	1 4 00	10.
GROOT MATERIAL: 1 Neat	Z Cement grout	3 Bentonite	4 Otner	
Grout Intervals From 2	ft. to 15.5 ft. From			
What is the nearest source of possible				Abandoned water well
	4 Lateral lines 7 Pit	· · · · · · · · · · · · · · · · · · ·	•	
2 Sewer lines	•			Other (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Fee	•	Insecticide storage	
Direction from well? FROM TO CODE	LITHOLOGIC LOG		many feet?	2 INTERVALO
	Ity Clay	FROM T	O PLUGGING	SINTERVALS
24 24.5 W	eathered Shale			
24 24.0	butileted Offate			
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATION: This water we	ell was (1) constructed, ((2) reconstructed, or (3) plugged to	ınder my jurisdiction and was
completed on (mo/day/yr)	5/3/06		ord is true to the best of my know	
Water Well Contractor's License No.			Well Record was completed on	
under the business name of	Geotechnical Services I			
	ks and circle the correct answers. Send		nartmen of Health and Environmen	t Bureau of Water 1000 S W
lackson St. Ste. 420 Toneka Kans	as 66612-1367 Telephone: 913-296-55	545 Send one to WATER	WELL OWNER and retain one for v	nour records