G31 J0D NO. 01 1 232		MATE	BWELL BECOK	D 5	1404/0 5	VOA 00- /	1040 10 1	· i a		IVIV	1-3UD
1 LOCATION OF WATER WELL:		WATER WELL RECORD Form Fraction			Section Number Township N						
County: Montgo	mery	SW 1/4	SE 1/4	SE	1/4	25	T	34	S F	₹ 16	Е
Distance and direction from 400 N. Linden, Coffey	nearest towr										
2 WATER WELL OWNER:		ville Resour	ces Refinin	g and M	larketing	LIC					
RR#, St. Address, Box #			oco itellilli	g and m	iai keting	,, LLO	Board	of Agricults	ure, Division o	of Water Res	ources
City, State, ZIP Code			337					ation Numb		JI Water INCS	Jources
LOCATE WELL'S LOCA	TON WITH	4									
AN "X" IN SECTION BOX	\ .	IDENIA OF C	OMPLETED W	ELL	23	. ft. ELE	VATION: _		723.99 (TOC)	ے ا
1	!	Depth(s) Ground	water Encounte	red 1	12.5	f	t. 2		ft 3		ft. 📆
NWN	iE	WELL'S STATIC	WATER LEVE	7.8	13 ft. b	elow land	surface mea	asured on r	no/day/yr	08/22/0	מַל בַּיוֹל
<u>.</u> .,	! !	Pump	test data: W	ell water wa	as		π. aπer		nours pumpi	ng	_gpm ç
<u></u> ₩		Est. Yield	gpm: W	ell water wa	as		ft. after		hours pumpi	ng	gpm n
sws	E	Bore Hole Diame WELL WATER To 1 Domestic	ter 8.25	in. to	23		ft. and		in. to		ft.
	?=	1 Domestic	3 Feed lot	5: 5 Publ 6 Oil fi	ic water sup eld water si	ylagı Vlaqı	9 Dev	conditionini vaterina	g 11 inje 12 Oth	ection well her (Specify I	below)
† <u>L.iL.</u>	x	2 Irrigation	4 Industrial	7 Lawr	n and garde	n (domest	ic) 10 Me	onitoring w	ell		,
S		Was a chemical/t									
	I	submitted	vacieriological s	sample sub	milled to De				Yes		
5 TYPE OF BLANK CASIN			5 Wrought I	ron	8 Concret				S: Glued		
1 Steel		SR)	-					NG JOIN IS	Welded	Clampe	·
	4 ABS			_					Threaded	Flus	h
			7 Fiberglass						inreaged	Flus	211
Blank casing diameter		in. to 13	π., Dia		in. to		ft., Dia		in. to	° SCU	tt.
Casing height above land su	inace	30	in., weight		703	lbs./ft.	Wall thick	ness or ga	uge No.	3Un. 4	10
TYPE OF SCREEN OR PEF 1 Steel		ss steel	E Fibereless	_	1/1	VC		IU ASDESTO	os-cement		
2 Brass		ss steel ized steel			9 6	MP (SK)	1	11 Other (s	specify) sed (open ho		· -
SCREEN OR PERFORATION									11		
1 Continuous slot		Mill slot		Wire wra			9 Drille				,
2 Louvered shutter		Key punched		Torch cu			10 Othe	r (specify)			
SCREEN-PERFORATED IN	TERVALS:	From	13 ft. t	0	23	ft.	From		ft. to		ft.
			ft. t			ft.	From		ft. to		ft.
GRAVEL PACK INT	ERVALS:	From	10 ft. t	0	23	ft.	From		ft. to		ft.
			ft. t			ft.			ft. to		ft.
6 GROUT MATERIAL:	1 Neat ce				3 Bento	nite	4 Other	Concre	te		
Grout Intervals From	10 f	t. to 2.5	ft. From	2.5	ft to		ft	From	fi	t to	ft.
What is the nearest source of						10 Live	stock pens		14 Abando		
1 Septic tank	•		7 1	Pit privy		11 Fuel	storage		15 Oil well		
2 Sewer lines		5 Cess pool		Sewage lag			ilizer storag			specify below	v)
3 Watertight sewer lin	es	6 Seepage pit	9	Feedyard		13 Inse	cticide stor	age			
Direction from well?						How man	y feet?				
	CC		OGIC LOG		FROM	то	<u> </u>	PLUG	GING INTER	RVALS	
		yey Gravel, y, brown to gr		ty			 -				
		y, brown to gray					 				
		y, rust mottled		and grav			1				
				3.27							
							 				
							 				
7 CONTRACTOR'S OR LA	NDOWNER	S CERTIFICATI	ON: This water	well was (1) construct	ed, (2) red	constructed,	or (3) plug	ged under m	y jurisdiction	and was
completed on (mo/day/yr)				_					knowledge a		
Water Well Contractor's Lice	ense No.		531		This W	ater Well F	Record was	completed	d on (mo/day	/yr) 09/	26/07
under the business name of		Geotechnic		s Inc.		(signature		ral 9			
INSTRUCTIONS: Pleas	e fill in blanks	and circle the corr	ect answers. Se	nd three cor	oies to Kansa	s Departm	ent of Health	and Enviro	nment, Burea	u of Water, 10	000 S W
Jackson St., Ste. 420, To	peka, Kansas	66612-1367. Tele	ephone: 913-296	5-5545. Sen	nd one to WA	TER WELL	OWNER at	nd retain on	e for your reco	rds.	