

RMW-110

1 LOCATION OF WATER WELL: County: **MONTGOMERY** Fraction: **NW 1/4 SE 1/4 SE 1/4** Section Number: **25** Township Number: **T 34 S** Range Number: **R 16E E/W**

Distance and direction from nearest town or city street address of well if located within city?
COFFEYVILLE

2 WATER WELL OWNER: **FARMLAND INDUSTRIES INC.**
RR#, St. Address, Box #: **P.O. BOX 570** Board of Agriculture, Division of Water Resources
City, State, ZIP Code: **COFFEYVILLE, KS 67337** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: **26.0** ft. ELEVATION: ft.
Depth(s) Groundwater Encountered 1. **17.0** ft. 2. ft. 3. ft.
WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
Pump test data: Well water was ft. after hours pumping gpm
Est. Yield gpm Well water was ft. after hours pumping gpm
Bore Hole Diameter **8 3/4** in. to **26.0** ft., and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only **10 Monitoring well**
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
7 Fiberglass Threaded
Blank casing diameter **2** in. to **13.0** ft. Dia in. to ft. Dia in. to ft.
Casing height above land surface **24** in., weight lbs./ft. Wall thickness or gauge No. **Schedule 40**
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From **13.0** ft. to **23.0** ft. From ft. to ft.
GRAVEL PACK INTERVALS: From **11.0** ft. to **23.0** ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From **0.0** ft. to **2.5** ft. From **2.5** ft. to **11.0** ft. From ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? **IN REFINERY** How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0.0	22.0	BROWN SILTY CLAY -MOIST/STIFF			
22.0	25.5	BROWN GRAVEL 1/2 SAND -WET			
25.5	26.0	GRAY SHALE -DRY/HARD			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **(1)** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **6-30-94** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **551** This Water Well Record was completed on (mo/day/yr) **6-30-94** under the business name of **ASSOCIATED ENVIRONMENTAL INDUSTRIES** by (signature)

OFFICE USE ONLY
T
R
EW
SEC.