I		R WELL RECORD	Form WW	C-5 KSA 82a	A 1-1-			
LOCATION OF WATER WELL:	Fraction	A1,		Section Number	·			Number
County: MONTGOMERY Distance and direction from nearest tow	<u> 5E₁₄</u>		E 1/4	<u> 25</u>	<u> </u>	/ s	R /6	E E/W
distance and direction from nearest tow		duress of well it local	ea within cit	<i>,</i>				
WATER WELL OWNER: FARM	LAND IN	DUSTRIES	INC					
IR#, St. Address, Box # : Po , B		0 0 110,000,		,	Board of A	ariculture [Division of W	ater Resource
City, State, ZIP Code : COFF	EVVILLE	KS 673	37		Application	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ator resource
LOCATE WELL'S LOCATION WITH	A DEBTH OF C	OMPLETED WELL	29.0) # 515\/A				
AN "X" IN SECTION BOX:	Depth (e) Grounds	water Encountered	13.	$\rho = \pi$	0			
	•	WATER LEVEL						
		test data: Well wat						
NW NE		gpm: Well wat				•	. •	•
	Bore Hole Diame	eter 8 34 in to	29	• C #	and	in	to	fi
W 1 1 E		O BE USED AS:		ater supply	8 Air conditioning		Injection well	
	1 Domestic	3 Feedlot			9 Dewatering		Other (Specif	
SW 'SE -	2 Irrigation	4 Industrial			Monitoring well			
	•	pacteriological sample			~			
\$	mitted				ater Well Disinfecte		(40)	•
TYPE OF BLANK CASING USED:		5 Wrought iron	8 Coi	ncrete tile	CASING JOI	NTS: Glued	I Cla	mped
1 Steel 3 RMP (S	R)	6 Asbestos-Cement	9 Oth	er (specify below	w)	Welde	ed	
2)PVC 4 ABS	,	7 Fiberglass				Threa	ded	
Blank casing diameter	.in. to 15.1	<i>O</i> ft., Dia	in.	to	ft., Dia		n. to	ئ <u>ر</u>
asing height above land surface	<i>2</i> .4	in., weight		Ibs.,	ft. Wall thickness of	or gauge No	5ched	vie 40
YPE OF SCREEN OR PERFORATIO		-	©	PVC		estos-ceme		
1 Steel 3 Stainless	s steel	5 Fiberglass	8	RMP (SR)	11 Oth	er (specify)		
2 Brass 4 Galvaniz	zed steel	6 Concrete tile	9	ABS	12 Non	e used (op	en hole)	
CREEN OR PERFORATION OPENIN	IGS ARE:	5 Gau	zed wrapped	I	8 Saw cut		11 None (o	pen hole)
1 Continuous slot ③M	lill slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered shutter 4 K	ey punched	7 Toro	ch cut	•	10 Other (specify	') <i>.</i>		
SCREEN-PERFORATED INTERVALS:	From	/5.0 ft. to .	25	$oldsymbol{ ho}_{\cdots} oldsymbol{\mathcal{O}}_{\cdots}$ ft., Fro	m	ft. te	o <i></i>	
	From	, ft. to .						
GRAVEL PACK INTERVALS:	From	! 3O ft. to .		•O ft Fro	m	ft. te	o	f
	From							
	FIOITI	ft. to		ft., Fro		ft. te)	f
GROUT MATERIAL: 1 Neat	· · · · · · · · · · · · · · · · · · ·	<u> </u>	IE 2 Be	ft., Fro	Other			f
LEMENT A A	· · · · · · · · · · · · · · · · · · ·		TE 2.5	ft., Fro	m			f
Grout Intervals: From	cement ft. to . 2,5	Dement grout BENTON I	1 2.5	ft., Fro	Other	14 Al	. ft. to	f
From O.0. What is the nearest source of possible	cement ft. to . 2,5	Cement grout ft., From 7 Pit privy		ft., Frontonite / 3.0	Other	14 Al	ft. to pandoned wa	ff ater well ell
From	cement ft. to . 2.5 contamination: ral lines s pool	Dement grout ft., From 7 Pit privy 8 Sewage lag		ft., Frontonite 13.4 to 10 Lives DFuel 12 Fertil	Other	14 Al	. ft. to	ff ater well ell
rout Intervals: From	cement .ft. to2.5 .contamination: ral lines s pool page pit	Cement grout ft., From 7 Pit privy		ft., Frontonite to 13.0 10 Lives DFuel 12 Fertil 13 Insection	Other Ofter ft., From stock pens storage izer storage cticide storage	14 Al	ft. to pandoned wa	ff ater well ell
rout Intervals: From O.O. What is the nearest source of possible 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep	cement .ft. to	Cement grout ft., From 7 Pit privy 8 Sewage lace 9 Feedyard	goon	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to	Cement grout ft., From		ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al	ft. to	ff ater well ell
rout Intervals: From O.0 /hat is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep irrection from well? /N REFINE FROM TO O.0 28.0 BROWN \$	cement ft. to . 2.5 contamination: ral lines pool page pit ERY LITHOLOGIC CRAY 5/6	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	goon	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From O.0 That is the nearest source of possible 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seeptirection from well? /N REFINE FROM TO O.0 28.0 BROWN \$	cement ft. to	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard	goon	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. What is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From O.0 /hat is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep irrection from well? /N REFINE FROM TO O.0 28.0 BROWN \$	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines spool page pit ERY LITHOLOGIC ST/STIFF	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG	goon FROM	ft., Frontonite to 13.0 10 Lives 12 Fertil 13 Insection	Other	14 Al 15 O 16 O	ft. to	ff ater well ell
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines s pool page pit ERY LITHOLOGIC I ST/STIPE	Cement grout ft., From 7 Pit privy 8 Sewage lac 9 Feedyard LOG LTY CLAY DRY/STIFF	goon	ft., Fro	Other	14 AI 15 O 16 O	ft. to pandoned wa il well/Gas w ther (specify	f
rout Intervals: From O.O. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines s pool page pit ERY LITHOLOGIC I ST/STIPE	Cement grout ft., From 7 Pit privy 8 Sewage lac 9 Feedyard LOG LTY CLAY DRY/STIFF	goon	ft., Fro	Other	14 AI 15 O 16 O	ft. to pandoned wa il well/Gas w ther (specify	f
rout Intervals: From	cement ft. to 2.5 contamination: ral lines pool page pit ERY LITHOLOGIC I ST/STIFF SHALE -2.7-94	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG LTY CLAY DRY/STIFF ON: This water well was	goon FROM was (1) cons	ft., Frontonite to. /3.0 10 Lives DFuel 12 Fertil 13 Insect How ma TO structed, (2) reco. and this reco.	Other	14 AI 15 O 16 O	ft. to pandoned wa il well/Gas w ther (specify	f
rout Intervals: From. O. 0. /hat is the nearest source of possible 1 Septic tank	cement ft. to 2.5 contamination: ral lines pool page pit ERY LITHOLOGIC I CRAY SI ST /STIFF SHALE — R'S CERTIFICATION 551	This water well vThis Water v.	goon FROM Was (1) cons Well Record	ft., Frontonite to. /3.4 10 Lives DFuel 12 Fertil 13 Insect How ma TO structed, (2) recovers and this recovers	Other	14 AI 15 O 16 O	ft. to pandoned wa il well/Gas w ther (specify	f
rout Intervals: From. O. 0. hat is the nearest source of possible 1 Septic tank 4 Later 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep rection from well? /N REFINA FROM TO O. 0 28.0 BROWN \$ — MOX CONTRACTOR'S OR LANDOWNE	coment ft. to 2.5 contamination: ral lines pool page pit ERY LITHOLOGIC CRAY SI ST/STIFF SHALE - CRAY SI ST/ST/ST/ST/ST/ST/ST/ST/ST/ST/ST/ST/ST/S	Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard LOG LTY CLAY DRY/STIFF ON: This water well was the companies of the companies	goon FROM FROM Was (1) cons Well Record	ft., Frontonite to 13.4 10 Lives DFuel 12 Fertil 13 Insect How ma TO structed, (2) recovers completed CORP by (signal)	Other	14 Al 15 O 16 O UGGING II	ft. to pandoned wa il well/Gas w ther (specify	tter well ell below) ction and wa